

Feature Program

April 1993

A Database for OS-9 Files

by Philip G. Scherer

Vol. XII No. 9

fter you accumulate many OS-9 programs, it's pretty easy to forget what some of them do. It's also inconvenient to search disk after disk, looking for a specific file or program you know is stored somewhere. DBOS9 is a database designed to make such things simpler by allowing you to store the names and descriptions of your OS-9 files and programs in a central location.

For operation, DBOS9 requires a CoCo 3, OS-9 Level II, at teast one disk drive, and

> DBOS9 is o dotobose designed to make such things simpler by ollowing you to store the names and descriptions of your OS-9 files ond programs in o centrol location.

the OS-9 modules del and copy. In addition, if you plan to enter the listings as printed here, you'll need a C compiler and the CGFX library written by Mike Sweet. (This library is available in the OS9 Online sig on Delphi. Mike's username is DODGECOLT.) Alternatively, the compiled, ready-to-run program is on the April 1993 RAINBOW ON DISK.

Up 'n' Running

Before you start DROS9, you need to give it a place to store the information you enter. Create a new subdirectory named BASE9 in the root directory of your /dd

device. (Those who are using the OS-9 BBS database from the Octoberissue don't need to do this; this database uses the same data directory as that one.) To do this, simply entermakdir /dd/BASE9 at the OS-9 prompt.

With the BASE9 data directory in place, make sure the executable program (dbcs9) is in your /dd/CMDS directory, along with the OS-9 del and copy commands. Also make sure dbcs9's execute attributes are set. If not, you can accomplish this by entering attr /dd/cmds/dbcs9 e pe at the OS-9 prompt.

To execute the program, just enter dbos 9. The first thing the program does is look for the database file, named os 9, in the /dd/ BASE9 directory. It won't find this file the first time it is executed, so it creates the file automatically. DBOS9 also creates a database-keyword file, named keyword, dat, the first time it is executed.

Once DBOS9 ascertains these files are in place in the BASE9 directory, the main database menu appears on the screen. This menu provides four options and is "hotkeyed," which means that you don't have to press ENTER after making a selection. The Search menu, which we'll discuss in a moment, works the same way. Some of the stand-alone entries at program prompts, however, do require that you press ENTER.

Entering Data


To enter data for a single record (information about a specific file or program) in the DBOS9 database, select Option 2 (Enter) from the main menu. In the upper-left corner of the screen you'll see a box with the available keywords, If the program or file for which you are entering data fits one of these keywords, simply type the appropriate keyword number and press ENTER. If none of the keywords on the list seem appropriate, or if you have not yet entered any keywords, press the correct number for the New Keyword option that appears on the list, then enter the new keyword.

DBOS9 keywords may be up to 13 characters in length and may include spaces. It

Database continued on Page 10.

Feature Program

Canada \$4.95 U.S. \$3.95



wrote Financial Statement as a means of tracking personal income and expenses. In addition, the "spreadsheet" printed by the program enables me to quickly determine my net worth. Financial Statement is designed to work on any CoCo with at least 16K and Extended BAStC. To use it, first enter the program listing and save it to tape or disk, then mini.

When you run Financial Statement, you are asked to make sure your printer is online. This is important, as the program prints data as it is entered, allowing for an unlimited number of entries. When prompted, enter the current date. After this, the program's main menu appears.

To enter data, first select from the main

menu the type of entry you are making (weekly, monthly or yearly income or expense). You are then asked for a short description of the item and the amount for the specified period. After you have entered this data, the printer immediately prints it. Make sure you enter all sources of regular income, as well as all regular and anticipated expenses (tills go here).

Option 7 on the main menu allows you to enter standing assets. For instance, if you have an IRA or perhaps a savings account, the current balance should be entered using this option. Any item that contributes to your net worth is considered an asset.

Net Worth continued on Page 7.

In this issue:

A Database for OS-9 Files	
by Phillip G. Scherer	j
Back Issue Information	7
CoCo Calculates Nel Worth	
by Charles Kiedaisch	1
CoCo Consulfations	
by Marty Goodman	5
Delphi Bureau	
by Eddie Kuns	4
Letters to Rainbow	2
One Address or Many? by Charles Kiedaisch	
by Charles Kiedaisch	9
Quik on the Keyboard	
by George and Ellen Aftamonow	8
Product Review	

from Infinitum Technology 6

THE RAINBOW

Editor and Publisher Lawrence C. Falk

Managing Editor

Cray Augsburg

Associate Editor

Sue Fomby Submission/Revlews Editor

Julie Hutchinson

Technical Editor

Greg Law Technical Assistant

Ed Ellers

Contributing Editors

Martin Goodman, M.D., Tim Kientzle, Eddie Kuns

Consulting Editor

Laura Falk Art Director

O'Neil Arnold

Designers

Sharon Adams, Heidi Nelson

Editorial Director

John Crawley

Falsoft, Inc.

President

Lawrence C. Falk

General Manager Iudi Hutchinson

Asst. General Manager for Finance Donna Shuck

Asst. General Manager for

Administration Tim Whelan

Administrative Asst. to the

Publisher Ellen Patterson

Bookkeeper/Dealer Accounts

Debra Wilson

Customer Service Representative

Lauren Yates

Business Assistant Shannon Yoffe

Traci Christophers

Corporate Business Technical Dir.

Calvin Shields

Chief of Building Security & Maint.

Lawrence Johnson

Advertising:

Western Sales Director

lra Barsky (312) 587-1818

Eastern Sales Director

Kim Lewis (502) 228-4492

For RAINBOW Advertising and Marketing office Information, see Page 15.

THE RAINBOW is published every month of the year by FALSOFT, Inc., The Faisort Building, 9509 U.S. Holmay 42, P.O. Dez 935, Prospect, KY 40059, phone (902) 220-4492. THE RAINBOW PRISE Logsylpses are reg. Price and the property of the RAINBOW and FAINBOW Press Logsylpses are reg. Price and the Prospect, KY and additional officers. Special paid Prospect, KY and additional officers. USPS 500-114, Prospect (14, Price 14, Price



Taking Data to Another OS

Editor:

Is it possible to download a CoCo 3 disk to a PC-compatible, and is there a program to do this?

> Wayne A. Johnson Route 2 Thamesford, ON NOM 2MO Canada

Sure. A number of utilities have been developed over the years for transferring data from the CoCo to MS-DOS computers. While most of the commercial products are no longer available, several shareware and public domain offerings have been uploaded to online information services such as Delphi and CompuServe. Also, the June and July 1986 issues of THE RAINBOW contain programs by Marty Goodman that are designed to handle the transfer.

Another means of transferving data is to use a null-modem cable between the CoCo serial port and a serial port on the PCcompatible. Then use communications software on each end, and transfer the file by uploading from the CoCo and downloading with the MS-DOS machine.

Regardless of the route you follow, remember that in most cases CoCo programs cannot be executed on the PC-compatible. The biggest exception to this is BASIC programs, which can be edited to work with the PC's specific flavor of BASIC, whether it is GW-BASIC or QBASIC. Still, such programs need to be saved in ASCII format on the CoCo (before the transfer) in order to be decipherable by the PC.

PMODE4 Screen Dumps

Editor:

I have a CoCo 3 with a CM-8 monitor, two FD-502 disk drives and a Star Micronics NX-I001 printer. I got involved with the CoCo about three years ago and have taught myself some BASIC programming, mostly with help from THE RAINBOW. I don't have a modem, so I don't have access to Delphi. I copy most of the programs from the magazine and leam from them.

Looking through back issues, I came across your PM00E4 screen dump (May 1992) and typed it in. I had some trouble at first, but after I changed the DIP switches, it worked fine. There is one thing that I don't understand: why does it print an "x" at the beginning of each row?

Calvin Wilcox 6626 Edgemoor Avenue Solon, OH 44139

As explained in the article, two different programs for producing screen dumps were presented. One is designed to work with Radio Shack printers in the Tandy mode, and the other is meant for use with IBM/ Epson-compatible printers. The Star NX-1001 falls into the latter category. However, there may be some minor differences between the IBM/Epson-compatible and

the NX-1001 control-code sets. Since most printers produce a garbage character when they encounter a control code they don't understand, we bet this is where the problem lies. Carefully check the assembly-language listing for the control codes it uses, and compare these with the appropriate codes in your printer manual.

A Ham in Need, Indeed

Editor:

I have a CoCo 2 for which I want to get amateur-radio and packet software, and Morse-code programs. I am also looking for a disk drive and a printer for this CoCo.

On a related note, I have a CW/RTTY card that fits into the CoCo ROM slot. The cable has come unsoldered on this unit, and I don't have a wiring diagram to help me put it back together. The cartridge was made by Kantronics. Can anyone help me with this?

Tony Byrum 2002 2nd Avenue S. Ft. Dodge, IA 50501

We imagine several CoCo users are still into amateur radio. Perhaps another reader can point you in the right directions.

Lonking for the Hershey Font

I am looking for a copy of the publicdomain Hershey font for use with William Barden's utilities published in the March 1988 issue of THE RAINBOW. I have written Mr. Barden, but he has been unable to provide me with a copy of the font, If one of your readers can provide me with this font set or tell me where to get it, please write to me at the address below.

Trevor Boehm 77 Inwood Crescent Winnipeg, MB R2Y 1A2 Canada

Wants to Save Screens

Editor:

Is there a program (other than one in machine-language) for saving the screen? I'd like one like that mentioned on Page 147 of the March 1987 issue of THE RAINBOW.

Denis Benjamin Marcil 222 Lomas Sherbrooke, PQ J1J2R3 Canada

The program you noted in your letter originally was bundled with a complete printer package by Dayton Associates (9644 QuailwoodTrail, Spring Valley, OH 45370, 513-885-5999). For other screen printing software, see the May 1992 issue of THE RAINBOW.

Sailing Off to C

Editor:

1've been reverse engineering the OS-9 C compiler (6809) library into its original C source code. I don't know how close my source looks to Microware's original, but it compiles into the same object code, and that's good enough. I recently discovered that this compiler and the c.asm macro assembler are themselves written in C, and I've considered reverse engineering the C source for them also. However, before I start, I was curious if anyone has already done all the work?

To be honest, it isn't so much the desire to have the original C source for the compiler. assembler and linker as it is simply to have a version in source form that I can customize. I've ported a Small-C (a subset of K&RC) compiler, but it isn't very good. The only full C compiler I know of is the GNU C compiler, which is far too big. Does anyone know of any C compiler (any processor - I'll port it) or a macro 6809 assembler in source form?

Carey Bloodworth 1601 North Hills Blvd. Van Buren, AR 72956

Building a New System

Editor:

I have just gotten back into the CoCo world and have managed to find a CoCo 3 and an FD-502 disk drive. I have also been given a Tandy printer, but it's a paralleI printer. Can I use Tandy's serial-toparallel port converter (Cat. No. 26-2829) on a CoCo 3? I also need a Multi-Pak Interface. Can you tell me where I can find one

> Marcus Springer 101 S. Central Conuersville, IN 47331

You should able to use Tandy's serial! parallel converter, but you'll have to build a special cable to go between the CoCo's 4-pin serial port and the converter. A better solution would be to get a converter designed specifically for the CoCo. Both Owl-Ware (see the ad on the back cover of this issue) and Dayton Associates (see our response to Denis Marcil's letter in this issue) offer such devices.

The Multi-Pak Interface was hard to find even before Tandy officially discontinues it. After that time, the MPI became impossible to find. At this point, hope another reader has one he'd be willing to part with.

> THE RAINBOW welcomes letters to the editor. Mail should be addressed to: Letters to Rainbow, The Falsoft Building, 9509 U.S. Hwy 42, P.O. Box 385, Prospect, KY 40059. Letters should include the writer's full name and address. Letters may be edited for clarity or to conserve space.

Letters to the editor may also be sent to us through our Delphi CoCo SIG. From the CoCo SIG> prompt, enter RAI to get to the Rainbow Magazine Services area of the SIG. At the RAINBOW> prompt, enter LET to reach the LETTERS> prompt, then select Letters for Publication. Be sure to include your complete name and address.

Be a computer programmer!

Only NRI gives you hands-on training with the latest programming tools:

■ A 486sx computer with 80 meg hard drive ■ Windows

■ Visual Basic ■ Power C ■ QBasic ■ MS-DOS

■ And much more!

nly NRI at-home training gives you real-world programming skills in three in-demand languages: QBasic, C, and Visual Basic, today's hot new language designed for

writing popular
Windows applications. Best of all,
you get hands-on training with a
powerful new 486sx-based computer
system, complete with 80 meg hard
drive, Windows, and professional
programming software you keep!

NRI, the leader in at-home computer training, shows you how to take advantage of today's newest programming opportunities


Get in on the ground floor of one of today's fastest-growing career fields: computer programming. The Bureau of Labor Statistics forecasts that job opportunities for programmers will increase <u>much</u> faster than average over the next 10 years, with as many as 400,000 <u>new</u> jobs opening up by 2005.

And the fastest-growing segment of programming jobs will be PC programming, fueled by the phenomenal popularity of Windows, the efficient power of C, and the ascent of exciting new languages like QBasic and Visual Basic.

Now, with NRI at-home training, you can get the new skills you need to build a top paying career — even a full- or part-time business of your own — in this high-growth, high-opportunity field.

NEW! The only programming course that includes a powerful 486sx-based computer, 80 meg hard drive, Windows, Visual Basic, and more all yours to keep!

Right from the start, NRI gets you actively involved in the challenge of real-world programming. Step by step, you learn to create the kinds of full-featured, powerful programs today's employers and clients



Only NRI gives you first-hand programming experience with a state-of-the-art 486sx mini-tower computer system, complete with hard disk drive, a full megabyte of RAM, high-density floppy drive, mouse, monitor, and more — all yours to train with and keep!

Plus you explore the extraordinary capabilities of three in-demand programming languages. You learn to design, code, run, debug, and document programs in QBasic, C, and Visual Basic. Best of all, since Visual Basic is specifically designed for creating Windows applications, you learn to generate fully functioning Windows programs, complete with text boxes, command buttons, and other sophisticated graphical interface elements.

No previous experience necessary

Train with NRI, and immediately start getting the money-making job skills you need to be a computer programmer — no matter what your previous background.

NRI's step-by-step lessons and hands-on programming projects help you first master the design concepts used every day by successful PC programmers. Then, with the support of your experienced NRI instructor, you quickly move on to learn programming in three of today's hottest languages.

486sx/25 MHz computer — the most powerful computer included in any at-home training

program!

By the time you complete your course, you have a clear understanding of programming methods, languages, and techniques... and you're ready to handle any programming task with confidence.

Send today for your FREE catalog

See how NRI at-home training gives you the programming know-how, the computer, and the software you need to get started in this top-paying field. Send today for your FREE catalog!

If the coupon is missing, write to us at the NRI School of Computer Programming, McGraw-Hill Continuing Education Center, 4401 Connecticut Avenue, NW, Washington, DC 20008.

IBM PC/AT Is a registered trademark of the IBM Corporation. Windows, QBasic, and Visual Basic are trademarks of Microsoft Corporation.



DELPHI BUREAU

File-Transfer Protocols

For uploading and downloading, Delphi supports most of the commonly used filetransfer protocols in addition to a few relatively obscure ones. While older file-transfor protocols were designed to transfer only one file at a time, some protocols are "batch" protocols, which allow you to transfer more than one file in a single session. Batch protocols also automatically send the filenames of the files to be transferred as well as some additional file attributes such as file size and protections.

Most modem file-transfer protocols are error-checking; they divide the file into several "blocks" that may be of either fixed or variable size. If a block is not sent correctly, the receiving end "complains" that the block arrived in error, and the block is sent again. This error checking ensures that the file is transmitted correctly even if there is noise on the communications line. As long as such a file-transfer protocol finishes sending all the blocks, the file was transferred successfully - even if errors were encountered along the way.

While the block size used by a protocol does not affect the contents of a file, it does have an impact on the speed at which the file is transferred, especially for people who use Sprintnet or Tymnet to connect to Delphi. The Sprintnet and Tymnet networks

have a long latency, or response time. This latency varies with the time of day and current network use - both Sprintnet and Tymnet are used by many computer systems other than Delphi,

The result of network latency is that there is a definite and noticable pause between transmitted blocks. Since transfer protocols that use smaller blocks have to send a greater number of blocks, they also spend more time waiting for the network to respond between blocks. This results in increased transfer time. As an example, the Xmodem protocol uses 128-byte blocks, while Ymodem (generally) transfers a file 1024 bytes at a time. A file that is 4096 bytes long would require four Ymodem blocks, thus having three pauses between the blocks. This same file would be sent in thirty-two blocks by Xmodem, resulting in thirty-one pauses between blocks. The moral: Xmodem is almost always considerably slower than Ymodem when used on networks like Sprintnet and Tymnet. If you call Delphi directly, avoiding network latency, you will not notice a very large time difference between the two protocols. (Ymodem results in fewer blocks, but each block is larger and takes longer to send than an Xmodem block.)

Most transfer protocols are called "half-

duplex" because the sender sends one block then waits for an "I got it" from the receiver before sending more blocks. However, there are two ways to avoid the delay of waiting for a response. One of the easiest methods is called windowing. A windowing protocol sends blocks even when previous blocks are not yet acknowledged by the other end. For example, WXmodem provides a fourblock window. This means if the other end has returned an "OK" for Block 32, it can send blocks 33, 34, 35 and 36 without waiting for a response. If the communications speed is low enough, a response for Block 32 would arrive before transmitting Block 36. In this case, windowing would allow continuous transmission with no pauses. The protocol stops sending data only when several blocks of data have been seot without response from the other end.

The other method of avoiding network latency is the more-complicated streaming. Streaming protocols, such as Zmodem, continue sending data, often without requiring any acknowledgement from the other end. The transfer is stopped and data retransmitted only on a request from the receiving end.

A final important feature of file-transfer protocols is whether or not they are network transparent. A protocol that is not transparent, such as Xmodem, requires an 8-bit connection to be able to send 8-bit binary

files. A protocol that is (or can be set to be) transparent, such as Kermit, encodes any characters the network may be unable to transmit into multiple characters that the network can transmit. For example, many networks use the XON and XOFF characters - Control-Q and Control-S, respectively - to start and stop transmission (referred to as flow control). If you transmit a binary file that contains an XON or XOFF character across a network that uses XON/XOFF flow control, that character will be "consumed" by the network as a flow-control character with possible unexpected side effects. (Fortunately, Sprintnet and Tymnet do not use XON/XOFF flow control.) This is why Kermit and some other protocols that can encode control characters into network-transmittable characters are so important.

We've discussed some of the background for file-transfer protocols this month. Next time we'll look at how each of the common protocols works as well as when and where each should be used.

Eddie Kuns is pursuing a doctorate in physics at Rutgers University. He lives in Aurora, Illinois, and works as a programmer and researcher at Fermilab. Eddie is the database manager of the OS-9 SIG and can be reached online as EDDIEKUNS.

Telnet Echo Hints

Last month I described how you can use Teloet to get from Delphi to other computers. Many computer systems allow you to enter your password without it being echoed to your screen. However, if you are connected to Delphi using Sprintnet or Tymnet, you may see your password echned to the screen when using Telnet to connect to another computer. This happens because Sprintnet and Tymnet echo the characters to your computer -- not Delphi, and not the computer to which you are connecting.

If you want Delphi itself (or the computer to which you want to connect) to echo the characters - and you usually will want to when you use Telnet --- use the /ECHO HOST command to temporarily change your echo setting. If you are unsure what your current echo setting is, enter /ECHO to find

Setting host echo is useful for more than invisible passwords: If you want to use a full-screen editor on the computer you are connecting to, you need to set host echo before using Telnet from Delphi, Remember that, for the same reasons, you need to select host echo if you want to use Delphi's full-screen editors.

Uploads At a Glance

In the OS9 Online Applications database, Mike Guzzi (MIKE GUZZI) released catl, a program that allows you to create catalogs for OS-9 Profile. He also uploaded a utility that works with cat1 to catalog .GIE files. Michael Dalene (MDALENE) contributed zeroadd to solve a problem he encountered with catl.

In the System Modules database, Michael Graffam (ILLUSIONIST) released new window descriptors for those who want to use more windows than were provided by Tandy, Erich Schulman (ESCHULMAN) contributed an OS9P4 module that adds a new system call to dump the 6809's regis-

In the Programmers Den database, Ken Scales released the first version of an OSK terminal-information library; this is useful to programmers writing or porting Cursesbased programs, terminfo, like termcaps, is a way of describing how different terminals perform various functions such as cursor positioning. If you are having trouble creating complicated C variable declarations, you'll be interested in CDECL, uploaded by David Graham (NIMITZ), This program deciphers C declarations and can also create them from Eoglish descriptions.

In the OSK Applications database, Tim Kientzle (TIMKIENTZLE) released a complete OSK port of TeX (including LaTeX and BibTeX, as well as the many other parts of the system). TeX is a typsetting system that can be used to produce high-quality output on dot-matrix and laser printers.

In the OSK System Modules database. Mark Griffith (MARKGRIFFITH) released the latest serial drivers for the MM/L Mike Sweet (DODGECOLT) uploaded the latest version of winding for the MM/1, as well as documentation he has collected from many sources for the features supported by windio.

In the CoCo SIG CoCo 3 Graphics database, Johnny Williams (DRILLMASTER) uploaded an Elvis puzzle data file to be used with the Puzzler program. To use this puzzle, you need PUZZLER BAS from the COCO 3 PUZZLER group in the Games & Graphics database.

DATABASE REPORT

OS9 Online:

General Information:

IDE BUS INFORMATION
9MIKE Mike Filipietz
CUSTOM DATE MODULE PROMD JSUTEMEIER Jim Sule NEW VIDEOS AVAILABLE Jim Sutemeier WTHOMPSON Wayne Thompson OSK/AMIGA/FALCON MEKEARNEY Michael Kearney HI-DENS FLOPPY CONTROLLER HACK DSRTFOX Francis Swygert

Applications (6809): NEW POINTERS FOR MVUE EARTHER Shawn Driscoll
DATEP: DEMO DF CUSTOM DATE MDD ISUTEMEIER Jim Sutemeier ZEROADD: ADDS LEADING D'S MDALENE N GIF CATALOG UTIL MIKE_GUZZI N Michele Dalene Mike Guzzi MTRE_GUZZI Mike Guzzi
CATL: CATALOG DISKS FOR PROFILE
MTRE_GUZZI Mike Guzzi
FINFCOUNT: CDUNTS LINES DN STDIN
ILLUSIONIST Michael Graffan
CLYDE 2.DD SCREEN SAVER CLYDE Z.DU SKREEN SAVER
SANDRIBER Charles West
CATALOG I.I: DISK FILE CATALOG
MOHRT Tim Mohr
LISTER: FILE LISTING UTIL
RICKGRAY RICK Gray

System Modules (6809): WINDOWS 14-32 ILLIJSIONIST Michael Graffam DS9P4 REGISTER DUMP MODULE **ESCHULMAN** Erich Schulman

Games & Graphics: CLOAKING KLINGON SHIP (FLI) GRAPHICSPUB Bob Montowski VEF2GIF VERSION I.1 WEYEOOI Homer Meyer LINES: A SCREEN SAVER MEYEOOI Homer Meyer OS-68K FLICKER ANIMATION GRAPHICSPUB. Bob Montowski

REN & STIMPY SOUNDS #2 DEANHOLDER REN & STIMPY Dean Holder SOUNDS #I DEANHOLDER Dcan Holder

Programmers Den: TERMINED FILES EOR DSK CURSES KSCALESKen Scales

GCC 1.42
NIMITZ David Graham
CPREP - ANSI C PREPROCESSOR V1.0 UNITY OF ANSI C PREPRUESSUR JALSOFT Jun McDowell
CDECL: DECIPHER C FUNC CALLS
NIMITZ David Graham
GUIDE TO PROGRAMMING STYLE JBUCATA Jason TERMCAP DEMD PAGAN Stephen Carville Jason Bucata

OSK Applications: HDBACKUP 1.5:HARD DRIVE BACKUP MARKGRIFFITH Mark Griffith
FF 1.01: FIND FILE UTIL
PAGAN Stephen Carville
TEX SYSTEM FOR OSK
TIMKIENTZLE
Tim Kientzle TIMKENTZLE TIM KIENIZLE
NEW GRAPHICAL CLDCK FOR MM/I
IOCLHEGBERG Iocl Hegberg
SPHERE: MDLECULAR MODELER
EMTWO Paut M., Flich, Jr.,
BYACC: BERKELEY YACC
NIMITZ David Graham
EXTRACTOR FOR DSK KEITHBAUER Keith Bauer

OSK System Modules: NEW MM/I SERIAL DRIVERS/DESCRIPT MARKGRIFFITH Mark Griffith WINDIO REF. MANUAL: IST EDITION
DODGECOLT Mike Sweet
WINDID EDITION 48 FOR THE MM1 DODGECOLT Mike Sweet

Tutorials & Education: COPYING FILES, OS9->MSDOS BOBKEMPER Ruhert Kemper

CoCo SIG:

CoCo 3 Graphics: DOCTOR WHO PIX DEANHOLDER (DS69-B) Dean Holder ELVIS.PUZ DRILLMASTER Johnny Williams

Hardware Hacking: COCD 2 MAC NULL MODEM MARTYGOODMAN Marty Goodman ADD A RESET BUTTON TERMITE Jim LaLone

Music & Sound: ORCHESIRA 9D MUSIC DEANHOLDER Dean Holder

CoCo Consultations



64K and the "E" Board

I have a CoCo 1 with an "E" board that does not appear to be modified. The computer has a "32K" button on it. Is it reolly o 32K computer or can it address all 64K? Does it need to be modified in order to address all 64K? How can I tell if the modification has already been done? If it hasn't, how do I fix it?

Wes Ratcliff (WESRATCLIFF)
Stockton, California

CoCo 1 "D" and "E" boards must be modified before they can address all 64K of memory the 6809 supports. (The "F", or "NC," board support 64K right out of the box, despite being labeled as 32K units by Tandy.) The modification to the "E" board, allowing access to the upper 32K of memory, is usually pretty easy to spot - look for some bent pins on some IC chips and "odd" wires going between them. On the other hand, a few very dedicated hackers have performed this modification underneath the board in such a fashion that it is totally invisible from above. To be sure wbether or not your "E" board has been modified for 64K, here's a simple test: use an ohmmeter set to the Rx10 scale to measure the resistance between Pin 5 of the 74LS138 chip (U11) and ground. If the resistance is near zero (a tenth of an ohm or less), the computer has not been modified for addressing all 64K of memory. If the resistance is some tensor hundreds of ohms, the modification may already have been performed.

To modify an "E" board CoCo 1 to address a full 64K of memory is a relatively simple procedure. First remove the 74LS02 chip (U29) and bend pins 4, 5 and 6 so they go straight up. Solder a fine wire between Pin 6 and Pin 8, but be careful: Pin 8 remains pointing down and will be reinserted in the socket; make sure you attach the wire at the very top of Pin 8 so as not to cause interference. Now solder an 8-inch length of wire to Pin 4 and another to Pin 5 of the 74LS02. Put a small piece of electrical tape on the metal part of the shield next to where the 74LS02 goes, preventing the bent pins from coming in contact with the wall and causing a short. Now replace the 74LS02 chip in its socket and remove the 74LS138 chip (U11). Bend up Pin 5, then replace the chip in its socket. Trim the wires to length, then solder the wire coming from Pin 5 of the 74LS02 chip to Pin 5 of the 74LS138 chip. Also connect the wire from Pin 4 of the 74LS02 chip to TP1, a staking pin located between the 6809 chip and the 40-pin cartridge connector, near Pin 34 of the 6809. With these modifications, the computer is capable of addressing a full

It is worth noting that Tandy sometimes used "half-good" (known to us as "half-bad") 64K DRAM chips in their 32K "E"-board computers. It's probably best to replace all eight 4164 DRAM chips. These chips are commonly available used for 25 to 50 cents each, and should not cost more than \$1 apiece new from a chip vendor.

Adding Drives to the FD-502

I notice the FD 502 disk drive from Tandy has somewhat different power connectors and termination than other 54inch drive systems. Can you tell me how to add an extra drive to the system?

Robert Coates Sandy Hook, Manitoba Canada

The FD-502 uses power connectors that are standard not for 51/4-inch drives, but for modern 31/2-inch drives. Its drive termination, too, follows the convention for modern 31/2-inch 1.44-megabyte - the floppy drive in the FD-502 uses a soldered-in 1000-ohm resistor for termination. If you are adding another brand of floppy drive to the FD-502 case, I suggest the following approach: First, cut off the existing power connector on the spare power cable, and in its place attach a 51/4inch-style power connector. Make sure you have it wired correctly, for if you reverse the 5- and 12-volt lines, you will destroy the new drive. Then, on the added drive, use a terminator-resistor pack rated not at the usual 150 ohms, but at 470 or 1000 ohms. If you cannot find such a terminator pack, try adding the second drive first with its existing resistor pack in place, then without, and see which arrangement works better. Note that since most terminator resistor packs for floppy drives are simply DIP component headers with resistors across them, you may be able to build your own terminator using such a header and seven 1000 ohm resistors.

Using An Unknown Terminal With OS-9

I picked up a "junker" dumb terminal for use with my CoCo 3 under OS-9, but I have no documentation for it and don't know how to set its DIP switches for the proper baud, parity, stop bits and so on. The terminal has two banks of DIP switches and two DB-25 connectors on its rear.

Tony Reed (TONYREED) Richford, Vermont

Your best bet is to use a null-modem cable between the terminal and the RS-232 Pak on your CoCo 3, then run a terminal program on the CoCo 3 and experiment with different switch settings on the terminal. (Your terminal may have one DB-25 port for serial communication and another for a printer. These are usually labelled as such. Make sure the cable is connected to the serial port.) When characters you type on the terminal start appearing on the CoCo 3 screen, you're on the right track

Typically there are three to five DIP switches for setting set the baud, and one or two for setting the parity and word length for each port. By playing around with the switches and matching settings with your terminal program, you can probably puzzle out most of the switch settings. Once the

baud is determined, parity and word length can be deciphered in the same fashion. Finally, by playing with control-character sequences, you may be able to determine some of the basic screen and cursor control functions. This will be easier if you have some general knowledge of what control codes are supported on similar terminals.

Smartwatch and the Tandy Controller

How do I use a Smartwatch in the 24pin ROM socket of a Tandy disk
controller?

Rick Ulland (RICKULAND) Milwaukee, Wisconsin

Art Flexser offered some help on this one. He suggests you plug the Smartwatch into the socket so that pins 1, 2, 27 and 28 overhang the top of the socket (put Pin 3 of the Smartwatch into the hole for Pin 1 of the 24-pin socket). But be sure to jumper Pin 28 of the Smartwatch to Pin 26 of the Smartwatch, or to some other source of +5 volts. You can then plug your 24-pin Tandy Disk BASIC ROM into the smartwatch socket, making sure that Pin 1 of the ROM chip goes into the hole for Pin 3 of the Smartwatch. (Of course this, in turn, connects to Pin 1 of the original Tandy ROM socket.)

Killing Call Waiting

Calls coming through because of Call Waiting are interrupting my modem communications. How can I fix this without losing Call Waiting's benefits?

Charles A. Marlow (CHARLESAM) N. Massapcqua, New York

In most areas, dialing *70 disables. Call Waiting, giving you a new dial tone. In other areas, you must dial 1170. In either case, Call Waiting is disabled only for the single call in which it is used. If your modern is Hayes-compatible, you can make a call by entering the following sequence:

AT DT *70,,nnn-nnnn

where nnn nnnn is the phone number you want the modem to call (if required, use 1170 in place of *70). The two commas tell the Hayes-compatible modem to pause for a few seconds while waiting for Call-Waiting disable to take effect.

Disk Controllers and Drives
Will the Tandy FD-502 drive system

Will the Tandy FD-502 drive system work using a 26-3029 disk control-

Robert L. Fansler, Jr. (ROBERT191) Chattanooga, Tennessee

Yes. As a matter of fact, any 51/4-inch 180K, 360K or 720K drive will work fine with any Radio Shack controller. Note, however, that the first controller Radio Shack released (Cat. No. 26-3022) does not work with the CoCo 3. That first disk controller can be recognized by the facts that all the chips in it are socketted and that there are three adjustable potentiometers on the circuit board. Indeed, the 26-3029 controller (the second controller Tandy released) is one of the best Tandy ever made for the CoCo. Note, too, that most third-party disk controllers also work fine with most drives. though a few (such as the first controller J&M made) also have compatibility problems with the CoCo 3. Also, any 3½-inch 720K drive can be used with most CoCo disk controllers. In addition, 3½-inch 1.44megabyte drives can be used, but only in the

Is the Hard Drive Busy?

I have a Tandon 252 10-megabyte hard drive that I am using with my CoCo 3. This drive does not have a "husy" light on it, and I'd like to know how to add one?

Steven Taulborg (TAULBORG) Reynoldsburg, Ohio

MFM drives have one 34-pin edge connector and one 20-pin edge connector on them. Looking at the 34-pin edge connector, pins 25, 27, 29 and 31 are, respectively, the Drive Scleet 1, 2, 3 and 4 lines going from the MFM controller board to the hard drive. Thus, it is likely that if you had an LED powered via a transistor or one or two CMOS inverter gates (to take the load off the select line), you could use one of those select lines (probably the Drive 1 select line) as your "drive in use" LED. You'll have to play around a bit depending on whether the select line is active low or high (use a logic probe first to check this out).

Martin H. Goodman, M.D., a physician trained in anesthesiology, is a longtime electronics tinkerer and outspoken commentator — sort of the Howard Cosell of the CoCo world. On Delphi, Marty is the SIGop of THE RAINBOW's CoCo SIG. His non-computer passions include running, mountaineering and outdoor photography. Marty lives in San Pablo, California.

Sundog Systems Discount Special



Buy 2 or more CoCo 3 products and save 15% on each!

Coupon must be mentioned at time of order to receive discount. Offer excludes The Contras. Expires April 30, 1993. See prices and ordering information elsewhere in this issue.

> Sundog Systems P.O. Box 766 Manassas,VA 22111 703/330-8989

CoCo-C: A C Compiler for RS-DOS

ven though Microware's C compiler has been available to CoCo users for years, those who prefer the Disk-BASIC environment haven't had a reliable implementation of C for some time. Yes, there have been several "small C" compilers available through BBSs, and even a few C interpreters. But a well-documented version of C has been needed for Disk BASIC for quite a while.

CoCo-C gives the Disk BASIC user the ability to write C source code, then compile that code into binary programs that can be loaded from disk or tape and executed, CoCo-C isn't a complete implementation of C since it supports only character and integer data types and doesn't allow for complex data types. But CoCo-C does provide most of the environment that experienced C programmers are used to seeing.

CoCo-C is delivered on a flippy disk; the system for CoCo 3 users is on one side, and the programs for use with the CoCo 1 and 2 are on the back. (A flippy disk has files on both sides, but you don't need a doublesided drive - you turn the disk over.) The primary differences between the CoCo-C systems for the CoCo 3 and the CoCo 1/2 appear to be limited to the text editor and the program-initialization routines. Otherwise the files appear to be the same.

The Software

CoCo-C includes all the tools you need to write your own programs in C. Included for CoCo 3 users is Bob van der Poel's Ultra Editor, which is a joy to use. This is a powerful text editor, optimized for program editing, that includes such features as dual text buffers that can be opened at the same time, as well as commands to transfer data between them. Although it isn't a complete word processor, Ultra Editor comes close. Full-screen editing in 40 or 80 columns and simple two-key commands allow you to quickly prepare your C source code for the compiler. Ultra Editor also supports macros, allowing you to customize the editing environment and perform repetitive functions easily. (This editor can also be used for other languages, such as assembly language and BASIC.)

The 32-column line editor supplied for CoCo 1/2 users is much less complex, vet it provides enough features to edit any program. Still, if you need more-powerful editing capabilities, consider using a word processor that supports straight ASCII files, such as Telewriter.

Also included with CoCo-C is an assembler that compiles to standard Motorolasyntax assembler code. By eliminating CoCo-specific functions, you can use CoCoon your Color Computer to develop ROMable code for just about any 6809based system.

Programs written using CoCo-C can be interfaced with programs in other languages (i.e., CoCo-C programs can be called from BASIC as subroutines). At the same time, a unique interface between CoCo-C and the

BASIC ROMs in the computer gives your C programs all of the power of BASIC; the basemd function allows you to make calls to the routines in the BASIC ROMs. Using this approach, anything your version of BASIC can do (including graphics), your C program can also do. This feature could also be used to work with floating point numbers.

CoCo-C features some special functions that make it easier to work in a CoCo environment. These include commands for switching a CoCo 3 between the CoCo 3 and CoCo 1/2 modes, testing whether the program is running on a CoCo 3 or an earlier Color Computer, setting up for the CoCo 3's RGB and compositevideo modes, and setting the computer for the high-speed mode.

Some special functions that are normally used by the CSTART library routine are documented and can be used to set up buffers in memory and to change the errorchecking characteristics, CoCo-C also provides a mechanism that allows you to insert or even include assembler routines in your C program, giving you even more intimate control of your system.


As I implied before, CoCo-C is a welldocumented implementation of C for Disk BASIC. No, it isn't C++, and it doesn't have a huge library of extras. But CoCo-C gives you most of the standard C functions. Besides, with basemd, the BASIC ROMs themselves become a fairly extensive library of routines

Finally, all of the expected expressions and operators are supported, including the shift operators. Most of the normal program control statements, such as if/then/else, while/do and for work as they should. Some of the usual conversion functions do not work as expected or are not supported because of the limited types of data that can be handled.

The Documentation

I was impressed with the quality of the manual supplied with CoCo-C. Since writing users manuals is my job, I have some idea what's involved in producing a good, understandable manual; CoCo-C's manual appears to meet all of the criteria. You are taken through a logical progression from entering the source code for a program to compiling, assembling, linking and finally executing that program. Each function is presented using the typical C syntax statement, then a complete description explains how the function is used, what type of data it requires and what type of data it returns. An example of the function when used in a C language program is given to help clarify its use. In addition, program examples in the back of the book provide step-by-step and line-by-line explanations showing you how to enter a program and what you need to do to compile it.

Also included in the manual are complete technical specifications to help you understand how you can connect programs written in CoCo-C to other types of programs as well as how CoCo-C puts your program together. This section explains how the compiler works with C-language source code to construct the finished executable program.



"RAINBOW

The Real World

One of the most important things about writing programs in C is the portability of a program from one computer to another. Most C-language text-based programs should be fairly easy to convert for CoCo-C. The primary concern is that Disk BASIC's disk structure is somewhat limited in that it does not provide a hierarchical directory structure and leaves only one side of the disk available for storage. Allowing for this when converting programs written for other systems requires considerable changes. Since C was originally developed for Unix, an operating system that allows complex disk structure and lots of space, this could be an important consideration when trying to convert another C program to run under Disk BASIC. On the other hand, working with files is made much easier through the application of some unique input/output functions that work well with the CoCo.

As long as these and the data-typing limitations are kept in mind, there should not be any trouble writing and converting useful C language programs for your CoCo. And remember, C is a powerful language that encourages the programmer to expand it's capabilities. By writing your own functions to work with other data types, or perhaps using the Disk BASIC interface, there should be no limit to the possibilities CoCo-C offers for writing complex and useful software. The structured approach to programming for which C is so famous gives the programmer the tools he needs to develop programs for the CoCo that aren't limited by the BASIC ROM routines and are much easier to work with than programs written in assembly language. (Infinitum Technology, P.O. Box 356, Saddle River, N.J. 07458, (914) 356-7688; introductory offer: \$59.95 plus \$4 S/H.)

- Bill Budenholzer

The C Compiler for the CoCo has finally arrived...

CoCo-C is a complete RSDOS based C development package for the Color Computer not requiring the OS-9 Operating System. CoCo-C consists of tive main programs: a Text Editor. A Compiler, an Assembler, and a Library Linker which are all controlled by the CoCo-C command Coordinator.

Text Editor

A full teatured screen oriented line editor for the CoCo3 developed by Bob van der Poel. Powerful editing and cursor commands with auto-indent and user defined macros make this a great editor for writing C or assembly language programs. A less sophisticated version for the CoCo 2 is also available.

C Compiler

The CoCo-C Compiler is a full featured K&R style integer compiler specifically designed for RSDOS based systems. If has assembly language output, position independent code and can output ROM-able code it desired. Added features allow you to mix C, assembly language and BASIC commands within your program!

Assembler

This symbolic assembler is capable of assembling files as large as available disk space. It supports a Motorola style syntax and outputs standard binary files ready for LOADM and EXEC. Options include list file output and generation of symbol table file.

Library/Linker

The Library Linker is a utility which links the CoCo-C's 90+ function library with your compiled binary file, creating a stand alone executable ML file.

Command Coordinator

The Command Coordinator is CoCo-C's main program. Its user friendly menu driven screen smoothly switches back and forth between the Editor, Compiler, Assembler and Linker.

The CoCo-C Compiler package includes BOTH CoCo 2 and CoCo 3 versions of ALL the programs listed above plus MORE! Compatible w/B&B RGBDOS

Never before has there been an offer like this for the Color Computer!

Requires 64K CCCO 2 or 128K COCO 3

Send check or money order to:

Infinitum Technology

P.O. Box 356

Saddle River, N.J. 07458

914-356-7688



Net Worth from Page 1

To stop entering data, telling Financial Statement to finish printing your totals, select Option 8 from the main menu.

Financial Statement is designed for use with the DMP-130 printer. The only control code used, however, is CHR\$(27); CHR\$(20), which appears in Line 400. This code tells the DMP-130 (and most other Radio shack printers in the Tandy

RINTER IS ON LINE" 40 PRINT: PRINT"PRESS <ENTER> WHE

70 CLS:PRINT:PRINT"INPUT DATA" BØ PRINT 90 PRINT"SELECT INPUT"

ASSETS

I8Ø AO\$=INKEY\$: IF AC\$=""THENI8ØE

190 AO=VAL(AO\$):ON AO GOTO 200,2 10,220,240,250,260,280,510 200 GOSUB640:PRINT"WEEKLY INCOME "::INPUT P:M=P*52/I2:Y=P*52:GOT

210 GOSUB640:PRINT"MONTHLY INCOM E "::INPUT M:Y=M*I2:P=Y/52:GDTO 220 GOSUB640: PRINT"YEARLY INCOME :INPUT Y: M=Y/I2: P=Y/52: GOTO 2

230 Q\$="INCOME":GOTO 480 240 GOSUB 640:PRINT"WEEKLY EXPEN SE ";;INPUT E:F=E*52/12:G=E*52:G

25Ø GOSUB 64Ø:PRINT"MONTHLY EXPE NSE ";:INPUT F:G=F*I2:E=G/52:GOT 0 27Ø 260 GOSUB 640: PRINT"YEARLY EXPEN SE ";:INPUT G:F=G/I2:E=G/52:GOTO 270

270 Q\$="EXPENSE":GOTO 480 280 GOSUB 640:PRINT"FACE VALUE " ::INPUT A
290 Q\$="ASSET":GOTO 480
300 REM OUTPUT TO PRINTER
310 PRINT:LINEINPUT"DATE? ";DATE

\$ 32Ø CLS:PRINT@233,"**PRINTING**" 33Ø TT-Ø 34Ø MM-Ø 35Ø YY-Ø 36Ø EE-Ø

8) END INPUT"

1) WEEKLY INCONE"
2) MONTHLY INCOME" 3) YEARLY INCONE"
4) WEEKLY EXPENSE"
5) MONTHLY EXPENSE"
6) YEARLY EXPENSE"

N READY

50 INPUT E\$
60 GOTO 300

90 PRINT"SE 100 PRINT" 110 PRINT" 120 PRINT" 130 PRINT" 140 PRINT" 150 PRINT"

I60 PRINT"

LSET90

0 230


0T027Ø

GG=Ø

390 AA=0

mode) to switch to condensed print. Change this code as necessary for your printer.

Charles Kiedaisch is a retired tool- anddie designer who still does some independent work and uses his CoCo 3 to create master drawings. He enjoys building useful programs for the Color Computer.



460 PRINT# 2,STRING\$(133," ") 470 GOTO 70 480 CLS:PRINT@233."**PRINTING**" :PRINT#-2,USING"## % % %

500 GOTO 70 510 CLS:PRINT@233, "**PRINTING**" :PRINT#-2,TAB(51)

58Ø PRINT#-2, TAB(32) "BALANCE"; ; P RINT#-2, USING" \$\$### #、## \$\$###### ## \$\$###### ###"; TT ;ZZ;XX 59Ø PRINT#-2,TAB(32)"ASSETS";:PR INT#-2,USING"

570 PRINT#-2,TAB(49)" -

"\$\$#############";WW 62@ PRINT#-2,SIRING\$(I33,"""):PR INT#-2,"" NG CLS:PRINT@230,"PROGRAM ENDED

640 R=R+1: P=0: M=0: Y=0: E=0: F=0: G=

400 PRINT#-2,CHR\$(27);CHR\$(20) 410 PRINT#-2,TAB(56)"**FINANCIAL STATEMENT**" $\emptyset : A = \emptyset$ 650 PRINT"DESCRIPTION "::LINEINP UT A\$:RETURN 420 PRINT#-2, TAB(3)"DATE: ";DA

Yes! They're still available!



The RAINBOW Back Issues

BACK ISSUES STILL AVAILABLE

Have you explored the wealth of information in our past issues? From our very first, four-page issue to many with more than 300 pages of material, it's all just for CoCo users a great way to expand your library!

A WORLD OF INFO AT A BARGAIN PRICE

All back issues sell for the single issue cover price. In addition, there is a \$3.50 charge for the first issue, plus 50 cents for each additional issue for postage and handling if sent by United Parcel Service. There is a \$5 charge for the first issue, plus a \$1 charge for each additional issue on orders sent by U.S.Mail. UPS will not deliver to a post office box or to another country

MOST ISSUES STILL AVAILABLE

Available issues through June 1982 are provided on white paper in a reprint form. All others are in regular magazine form. VISA, MasterCard and American Express accepted. Kentucky residents please add 6 percent sales tax; Canadian residents, 7 percent GST. In order to hold down costs, we do not bill, and no C.O.D. orders are accepted.

Due to heavy demand, we suggest you order the back issues you want now while supplies last.

To order, review and fill out the form below and mail it with your payment.

For greater convenience, order through the Rainbow Magazine Services area of our Delphi CoCo SIG

VOLUME 5

Games Education

AUG 85 SEP 85

3

A cor the July handling	OW INDEX mplete index fo 1984 issue. Se J. Indexes torsi les of THE RAII	parate cop ubsequent	ies are av years are	ailable for \$2. published and	50 plus 50¢ nually in the	FEB 88 MAR 88 APR 88 MAY 88 JUN 88 JUL 88	Ublities Business Home Help Printer Music Anniversary	\$3.95 ☐ \$3.95 ☐ \$3.95 ☐ \$3.95 ☐ \$3.95 ☐ \$3.95 ☐	
			TOTA	AL					
	KY	RESIDEN	TS ADD 6	%		ALIG RE	VOLUME 8 Games	\$3.95 🗆	
CAN	NADIAN RESI	DENITS AL	DD 7% G9	ST TS		SEP 88	Education	\$3 95 🖸 \$3 95 🗇	
		U.S. MA	IL CHARG	iE		88 VON	Data Comm.	\$3.95 🗆	
	SH	IPPIIVE 3 &	HANULIN	lt a		DOLLAN	Holiday Beginners	\$3.95 Li	
		U.P.S	S. CHARG	SE .		FEB 89	Home He p Hardware	\$3.95 U	
		TOTA	L AMOUN	SE		APR 89	Business	\$3.95 □	
			ENCLOSE	D		JUN 89	Printer Summer Fun	\$3.95 \(\sigma\)	
Article R	eprints tances where a					JUL 89	Anniversary	\$3.95 🗀	
service is the case Name _ Address City □ Paym	, we do provide \$1.50 plus 50 co of out of stock is ent Enclosed,	ents S/H pe ssuesStr orCharge	ateto my: U	is service is pro	vided <i>only</i> in	ALIC 89 SEP 89 OCT 89 NOV 89 NOV 89 JAN 90 FEB 90 MAR 90 APR 90 JUN 90 JUL 90	YOLUME 9 Seyond BASIC Education Graphes Data Comm. Holiday Beginners Home Help Hardware Business Printel Summer Fun Anniversary	\$3.95 \(\text{\tint{\text{\te}\text{\texi}\text{\text{\texit{\text{\texi}\text{\text{\texi}\text{\text{\texi}\text{\text{\text{\text{\texi}\text{\text{\texi}\text{\texi{\text{\text{\text{\tex{	
	on Date			∍()			VOLUME 10		
send to	TE BY PHO DER BY PHO a.m. to 5 p.m. o: THE RAINB ot, KY 40059	NE (credit EST. All o OW, The	card orde ther inqui Falsoft E	ers only) call ries call (502) Building, P.O	(800) 847- 228-4492.	JAN 91 FEB 91 MAR 91	Holiday Beginners Home Help Hardware	\$3.95 \(\) \$3.95 \(\) \$3.95 \(\) \$3.95 \(\) \$3.95 \(\) \$3.95 \(\) \$3.95 \(\) \$3.95 \(\) \$3.95 \(\) \$3.95 \(\) \$3.95 \(\) \$3.95 \(\)	
Please	e send me	the fol	lowing			APR 91 MAY 91	Music Printer	\$3.95 🗅 \$3.95 🗀	
JUL 81 FEB 82	VOLUME 1 Premier Issue	\$2.00 G	OCT 85 NOV 85 DEC 85	Glaphics Dala Comm Holiday Beginners Utilities Business Home Help Printer	\$3.95 \(\pm\) \$3.95 \(\pm\) \$3.95 \(\pm\)	JUN 91 JUL 91	Summer Fun Anniversary VOLUME 11	\$3.95 🗅 \$3.95 🗅	
JUN 83	VOLUME 2 Printers VOLUME 3	\$2.05 D	JAN 96	Beginners	\$3.95 🔟	AUG 91	Graphics Education	\$3.95 LI	
	VOLUME 3	6Z.03 G	MAR 86	Business	\$3.95	SEP 91 OCT 91	08.9	\$3.95	
AUG 83 SEP 83	Games Education	\$2.95 Li	APR 86 MAY 86	Home Help	\$3.95	NOV 91	Data Comm. Holiday Utilities	\$3 95 LI	
OCT B3	Graphics	\$2 95 G \$3.95 G \$3.95 U	JUN 86	Printer Music Anniversary	\$3.95	DEC 91 JAN 92	Holiday	\$3.95	
MAR 84	Business	\$3 95 U	JUL 86	Anniversary	\$3.95	FEB 92	Home He p	\$3.95	
APR 84	Gaming	\$3.95 CI				MAR 92	Hardware	\$3.95 _1	
MAY 84	Printer	\$3.95 🗅		VOLUME 6		APR 92	Music	\$3.95 🗆	
JUN 84	Music	\$3.95 🗀	AUG 86	Games	\$3.95 🗀	MAY 92	Music Printer	\$3.95 🗆	
JUL 84	Gaming Printer Music Ann versary	\$3.95 🗆	SEP 86 OCT 86	Games Education Graphics Data Comm, Holiday	\$3.95 LI	JUN 92 JUL 92	Programming Anniversary		
	VOLUME 4		NOV 86	Data Comm.	\$3.95 1	JOL 32	Armiversary	\$3.30 4	
AUG 84	VOLUME 4 Games Education Graphics Data Comm. Hollday Beginners Utilities Business Simulations Printer Music	\$3.95 🖸	DEC 86	Holiday	\$3.95		VOLUME 12		
SEP 84	Education	\$3.95	JAN 87	Beginners	\$3.95 🖬 \$3.95 🖬	AUG 92	Graphics	\$3.95 🗆	
OCT 84	Graphics	\$3.95 🛄	FEB 87	Utilities	\$3.95	SEP 92	Graphics Education	\$3.95 J	
NOV 84 DEC 84	Data Comm.	\$3.95 U	MAR 87 APR 87	Business	\$3.95 \(\) \$3.95 \(\) \$3.95 \(\)	OCT 92	OS-9	\$3.95	
JAN 85	Beautiness	\$2.50 U	MAY 87	Home Help Printe	\$3.95 U	NOV 92	Data Comm	\$3.95 🗀	
FEB 85	1 tildies	\$3.95 . 1	JUN 87	Music	\$3.95	DEC 92	Holiday Utilities	\$3.95 .1	
MAR 85	Business	\$3.95	JUL 87	Anniversary		JAN 93	Utilities	\$3.95 .1	
APR 85	Simulations	\$3.95	202,01		\$4.00 J	FEB 93 MAR 93	Home Help	\$3.95	
MAY 85	Printer	\$3.95 1		VOLUME7		APR 93	Home Help Hardware Finances	\$3.95 ☐ \$3.95 ☐	
JUN 85		\$3.95 🗆	AUG 87	Games	\$3.95 🗀	Arn 33	i illamice's	\$3.80 A	
JUL 95	5 promore and	\$2.05 1	CCD 07	Education	\$2.05 D				

Graphics Data Comm. Holiday

Beginners

Save Money Too!

Subscribe to these convenient services and receive each month's programs in a ready-torun Iorm. No more long tedious hours wasted typing! No more red eyes and sore lingers! All you do is load and run, using the current issue of THE RAINBOW as documentation

OS-9 programs are available too! One side of the RAINBOW ON DISK is formatted for the OS-9 operating system (OS-9 programs cannot be put on tape) so you can get all the great programs in the magazine.

A one-year subscription to THE RAINBOW and RAINBOW ON TAPE is only \$91 in the U.S., \$108 in Canada, \$153 loreign surface rate and \$188 foreign airmail.

A one-year subscription to THE RAINBOW and RAINBOW ON DISK is only \$115 in the U.S. \$138 in Canada, \$183 Ioreign surface rate and \$218 Ioreign airmail. U.S. currency only. Back issues of both RAINBOW ON TAPE and RAINBOW ON DISK are also available! (see our back issue ad in this issue)

RAINBOW ON TAPE back issues are available beginning with the April 1982 issue. A single copy of RAINBOW ON TAPE is \$10 within the U.S., \$12 in all other countries. The annual subscription for BAINBOW ON TAPE is \$80 within the U.S.: \$90 in Canada: and \$105 for all other countries. U.S. currency only.

RAINBOW ON DISK back issues are available beginning with the October 1986 issue. A single conviol BAINBOW ON DISK is \$12 within the H.S. \$14 in Ganada \$16 in all other countries. The annual subscription for RAINBOW ON DISK is \$99 within the U.S.; \$115 in Canada; and \$130 for all other countries. U.S. currency only.

Yes! Sign me up for a joint 1 ☐ THE RAINBOW and Rainbow on Tape					
☐ New	☐ Renewal (aItach labels)				
Name					
Address					
City					
State					
☐ My check in the amount ol	is enclosed.				
Charge to: UVISA	sterCard				
Account Number					
Expiration DateSignat	ture				
call (502) 228-4492. * Payment must accompany order; Kentucky residents add 6% sales tax; 6 to 8 weeks for dellvery of first cople issue. Please note: While group purchases of are permitted (and multiple subscriptions	we do not bill. U.S. currency only, please Canadian residents, 7% GST. Please allows. All subscriptions begin with the current RAINBOW ON TAPE and RAINBOW ON DISK are even discounted if purchased in one order is conveyed or implied. Unauthorized copying.				

Feature Program

Learn to be Quik on the Keyboard

by George and Ellen Affamonow



uik, a cute game for the CoCo 3, is not only a lot of fun, it hetps you learn a tittle about the DRAW command used for Color Com-

puter graphics. To get started, enter the complete listing and save it to tape or disk (before running it). Then enter RUN.

Once the game is started, you'll see eight arrows on the screen - one arrow pointing in each of the eight directions for which DRAW subcommands support direct movement (see Figure 1). One of these arrows should be flashing

The object of Quik is to quickly press the key that corresponds to the direction of the flashing arrow. As soon as you do, another arrow starts flashing. The computer chooses the arrows randomly, so if you press the correct key and the arrow continues flashing, press that key again. This process continues for a specific length of time (which you select after running the program but before starting the game). When the time is up, the number of correct responses you made appears on the screen and you are given the option to play again.

Quik is a lot of fun to play, and the game is educational in a somewhat unique way We hope you enjoy it, too.

George and Ellen Aftamonow, two selftaught programmers, believe computer us ers need another number cruncher as badly as a pig needs a wallet. So they like to sit down and enjoy the challenge of writing entertainment software. They can be contacted at 46 Howe Street, Milford, CT 06460. (203) 878-3602. Please include an SASE when requesting a reply.

GoCo 3

The Listing: QUIK

1 'QUIK 2' BY GEORGE & ELLEN AFTAMONOW 3 'COPYRIGHT (C) 1993 4 'FALSOTT, INC. 5 'RAINBOW MAGAZINE 10 PALETTEO,0:PALETTE5,63:HSCREE

N2:HCLSØ:HCOLOR5,0 15 HPR1NT(10,10),"(C)MP DR (R)GB

20 I\$=INKEY\$; IFI\$=""THEN20 30 IFI\$="C"THEN40ELSEIFI\$="R"THE N50ELSE20 40 PALETTECMP: PALETTE0.0: PALETTE 1,17: PALETTE2, 39: PALETTE3, 57: PAL ETTE4,53: PALETTE5, 63: PALETTE6, 41 : PALETTE7, 57: PALETTE8, 44: PALETTE 12,39: PALETTE14,51: GOTO70 50 PALETTERGB: PALETTE0.0: PALETTE

T1,17: PALETTE2, 38: PALETTE3, 29: PAL ETTE4, 55: PALETTE5, 63: PALETTE6, 45: PALETTE7, 57: PALETTE8, 44: PALETTE 12, 38: PALETTE13, 42: PALETTE14, 15'

0-BLK 1-GRN 2-RED 3-BLU 4-YLW 5

79 '*MAIN SCREEN
80 HCLSØ: HSCREEN2: HCOLOR12
90 HLINE(60,50)-(270,130), PSET, B
100 HDRAW"BM2, 4R34G10F4G12H6G10U
30": HDRAW"BM160, 4F22L14D6L16U6L1
4E22": HDRAW"BM318, 49022CH12E6
H10R32": HDRAW"BM318, 90022CH14E0I
6R6U14F22": HDRAW"BM2, 90E22D14R6D
16L6D14H22"
165 HDRAW"BM2, 179H23E13F5C5130C57

105 HDRAW"BM2,178U32F10E6F12G6F1 0L32": HDRAW"BM160,178H22R16U6R12 D6R16G22": HDRAW"8M318, t78L32E10H 6E12F6E10D32"

106 FDRZ=1T08:HPA1NT(X(Z),Y(Z)), P(Z),12:NEXT

P(Z),12:MEXT 110 HDRAW"BM100,80L6NU16H2U12E2R 6F2D12G2WF2BR14 L6NU16H2U14R2BR8 D14G2BR8 L2U16R2D16BR14 L6NU16H2 U12E2R6F2BD12G2BR8 L2UI6R2D8NE8N

115 HDRAW"BM190,80L6NUt6L2NLU16N LR8F2D12G2BR8 NU16L2U16R8F2D4G2L

HEROZUIGACONO NUTOLZUIGNOFZDFUZE GEBBRG NUTOLZUIGNEEPERE H2U14R2D16E6NU4F6U16" 12Ø HPRINT(ZØ.12). "BY":HPRINT(9, 14). "GEORGE & ELLEN AFTAMONON" 13Ø FORO-1T03:PLAY"T25505BADBADB AD":NEXTO

140 HCOLORO: HLINE(62,52)-(268,12 8) PSFT BF

HCOLOR5: HPRINT(10, 10), "NEED INSTRUCTIONS Y/N?

160 I\$=INKEY\$:1FI\$=""THEN160 200 HCOLOR0:HPR1NT(10,10),"NEED 1NSTRUCTIONS Y/N?":IF1\$="N" THEN

214
202 HCOLOR3:HPRINT(9,8), "THERE A
RE EIGHT ARROWS.":HPRINT(9,9),"
EACH IS PDINTING IN THE":HPRINT
(9,10), "DIRECTION 1HAT COINCIDES
":HPRINT(9,11), "WITH THE COMPUTE
R'S DRAW":HPRINT(9,12), "COMMAND.
":HPRINT(13,14), "PRESS ANY KEY"
203 1\$-INKEY\$:1FI\$-"" THEN203
204 HCOLORD:HLINE(62,52)-(268,12
8),PSET.BF

204 HCOLORD: HLINE(62,52)-(268,12 8), PSET, BF 205 HDRAW"BM164,90C3NL12NH12NU12 NE12NR12NF12ND12G12": HPRINT(15,1 1), "L": HPRINT(25,11), "R": HPRINT(20,8), "U": HPRINT(20,14), "D" 206 HCOLOR2: HPRINT(17,9), "H": HPRINT(23,13), "F": HPRINT(17,13), "G" 373 16: HNEYEY: LETE"", "LETE"

PRINT(17,13), "G" 207 1\$-1NKEY\$:IEI\$-"" THEN207 208 HCOLORD: HLINE(110,60)-(210,1

208 HCOLORD: HLINE(110,60)-(210,1 20), PSET,BF 210 HCOLOR4: HPRINT(9,8), "AN ARRO W MILL RANDOMLY": HPRINT(9,9), "FL 1CKER. THE OBJECT 1S": HPRINT(9,1 0), "TO PRESS THE KEY THAT": HPRINT(9,11), "REPRESENTS THE ARROW'S ": HPRINT(9,12), "DIRECTION.": HPRINT(13,14), "PRESS ANY KEY" 212 1\$-INKEY\$:1FIS-"" THEN212 213 HCOLORD: HINE(62,52)-(266,12 6). PSET.BF

213 HCOLORØ:HLINE(62,52)-(266,12 6),PSET,BF 214 HCOLOR4:HPRINT(15,8),"CHODSE 1-3":HPRINT(14,10),"1) SHORT G AME":HPRINT(14,11),"2) MED. GAM E":HPRINT(14,12),"3) LONG GAME" 220 I\$=INKEY\$:;IF15=""THEN220 221 '*G-LENGTH OF GAME 222 IF1\$="1"THENG=600ELSE 1F1\$=" 2"THENG=1200ELSEIF1\$="3"THENG=18 00EISE222

00ELSE222 225 P\$="T25002L200GEA";PLAYP\$ 230 HCOLORO:HLINE(106,62)-(220,1

230 HCQLORD:HLINE(106.62)-(220,1
04), PSET,BF
240 T=0:SC=0
249 '*CHOOSE RND PALETTE
250 C=RND(8)
29 '*FLICKER PALETTE:T=TIME
300 T=T+1:IS=INKEYS:1FT=G THEN34
0ELSELELS="" THENPALETTEC,0:PALE

TTEC,C(C):GOTO300 310 1FI\$<>C\$(C) THEN300

310 1F1\$<>C\$(C) THEN300
320 SC=SC+1:GOTO250
340 PLAY"1200L200EAGAEAGA":HCOLO
R2:HPR1NT(15,8),"YOU SCORED":HPR
INT(11,10),STR\$(SC)+" IN"+STR\$(G
/20)+" SECONDS."
350 HPR1NT(14,14),"PLAY AGAIN?"
360 1\$=1NKEY\$:IF1\$="" THEN360
370 1F1\$="Y" THEN713 F1851F1\$="N
"THENCLS:RGB:END:ELSE360

THENCLS: RGB: END: ELSE360



Feature Program

One Address or Many?

by Charles Kiedaisch

hether or not they write letters to friends, most people spend at least a little time each month addressing envelopes. Not everyone, however, gets high marks for penmanship. And when greeting cards are in order—especially during the holidays—writer's cramp becomes a problem (usually for those who don't write often). The two programs presented here can be a real help during these times.

The program shown in Listing 1, Address, prints your return address and the recipient's address on just about any envelope. Before you run the program, make sure you enter your name and address in lines 160 through 180. When Address is executed, you are first asked to enter the recipient's name and address. The program then prints your return address and asks what size envelope you are using. Press 1, 2, 3 or 4 accordingly, and the program proceeds to print the remainder of the envelope.

Address is designed to accommodate four different envelope sizes: standard, long, odd-sized and small. Actually what happens is that the printhead is moved (using PRINT # 2, TAB(T)) to a different position based on the selected envelope size. The tab values are set up in lines 280, 300, 320 and 330. Feel free to change these as you see fit.

Address Two (Listing 2) works much like Address except that it allows you to store data for the addresses to which you frequently send mail. In addition, you can elect to print all stored addresses or only a specific address, on the printer or to the screen only. You can also print a complete directory of all stored addresses.

Before running the program, make sure the names and addresses you want are stored in the data lines at the end of the listing. Use the same format indicated when you enter your data, and make sure the last DAIA statement starts with the word END. Also make sure you enter your return address in lines 620 through 640. The tab values for

different-sized envelopes are in lines 980, 1000, 1020 and 1030 should you want to change them.

Some users may wonder why I wrote Address Two in such a fashion that it uses 0ATA statements instead of storing address information on disk. In the first place, using DATA statements makes the program easier to use with tape-based CoCo systems. Secondly, it allows you to create several different versions of the program, using specific groups of addresses in each, much like separate mailing lists. This is handy when you send cards or letters to different groups of people on different occasions. And you can put the names and addresses of all your creditors (those who don't provide preaddressed envelopes, anyway) in one program listing

Both Address and Address Two are designed to work with the Tandy DMP-133 in the Tandy mode. The control codes used and the lines in which they appear are shown in Figure 1.

In an effort to help the postal service by printing clearly, we only help ourselves, increasing the chance that our mail will get where it's supposed to go. I believe you'll find Address and Address Two to be useful additions to your library.

Charles Kiedaisch is a retired tool-anddie designer who still does some independent work and uses his CoCo 3 to create master drawings. He enjoys building useful programs for the Color Computer.

Control Code	Function	Address tine number(s)	Address Two line number(s)
CHR\$(27); CHR\$(14)	start elongation	60, 370	440, 1070
CHR\$(27); CHR\$(15)	end elongation	100, 410	480, 1110
CHR\$(27); CHR\$(20)	condensed	160	620

Figure 1: Address and Address Two Control Codes

16KECB

Listing 1: ADDRESS

```
1 'ENVELOPE ADDRESS PRINTER
2 'BY CHARLES KIEDAISCH
3 'COPYRIGHT (C) 1993
4 'BY FALSOFT, INC.
5 'RAINBOW MGAZINE"
10 CLS:REM*ENVELOPE ADDRESS*
20 LINCINPUT"NAME ";TS
30 LINCINPUT"NUMBER AND STREET ";G$
40 LINCINPUT"CITY AND ZIP CODE ";M$
50 GOTO 160
60 CLS:PRINT#-2.CHR$(27):CHR$(14
```

```
)
78 PRINT T$:PRINT#-2:PRINT#-2:PR
INT#-2:PRINT#-2;TAB(T);T$
80 PRINT G$:PRINT#-2,TAB(T);G$
90 PRINT M$:PRINT#-2,TAB(T);G$
100 PRINT#-2,CHR$(27);CHR$(15)
110 PRINT*-PRINT"ANOTHER ADDRESS
(Y/N)"
120 N$=INKEY$
130 IF N$=""THEN 120
140 IF N$=""THEN 10
150 IF N$="""TULN 430
160 PRINT#-2,CHR$(27);CHR$(20);"
JOE SOMEBODY"
170 PRINT#-2,"SOME PLACE IL 6044
8"
190 CLS
```

```
200 PRINT" 1) STANDARD E
NVELOPE"
210 PRINT" 2) LONG ENVEL
OPE"
220 PRINT" 3) ODD SI7F F
NVELOPES"
230 PRINT" 4) SMALL ENVE
LOPE"
240 PRINT
250 PRINT" SELECT (1.2.3 OR
4)"
260 AN$=INKEY$; IF AN$=""THEN 260
270 ON VAL(AN$)GOTO 280,300,320,
330
280 T=21
290 GOTO 60
300 T=40
310 GOTO 60
```

```
320 T=23:GDTO 340
330 T=15:GDTO 340
340 CL5:PRINT"ADDUST ENVELOPE IF
NECESSARY"
350 PRINT"PRESS (Y) TO PRINT"
360 PR$—INKEY$:IF PR$=""THEN 360
:IF PR$="YTHEN 370
370 PRINT# 2, CHR$(27);CHR$(14)
380 PRINT T$:PRINT# 2, TAB(T);G$
400 PRINT M$:PRINT# 2, TAB(T);G$
400 PRINT M$:PRINT# 2, TAB(T);M$
410 PRINT#-2, CHR$(27);CHR$(15)
420 GOTO II0
430 CLS
440 PRINT"PROGRAM ENDED"
450 END
```

Listing 2: ADDRESS2

```
'FILER/ADDRESS PRINTER
'BY CHARLES KIEDAISCH
   'COPYRIGHT (C) 1993
'BY FALSOFT, INC.
     RAINBOW MAGAZINE
 IØ CLS:REM*NAME AND ADDRESS LIST
/ENVELOPE ADDRESSING
20 S=I
30 M=I000
40 PRINT"
50 PRINT"
                              1) LINE PRINTER
60 PRINT"
                              2) SCREEN DISPL
AY ONLY"
70 PRINT"
                              3) PRINT NAME D
IRECTORY
                               4) END PROGRAM"
90 PR1NT"
100 PRINT"SELECT(1,2,3 OR 4)"
110 AN$=1NKEY$: IF AN$=""THEN 110
 120 ON VAL(AN$)GOTO 130,140,660,
130 RESTORE; L$="G": PRINT: GOTO 15
0
140 RESTORE:LS="P":PRINT
150 PRINT" DO YOU WANT ALL N
AMES (Y/N)"
160 X$=INKEY$
170 IF X$=""THEN 160
180 IF X$="Y"THEN 210
190 RESTORE:PRINT:PRINT"ENTER TH
E NAME TO SEARCH FOR"
200 INPUT S$
210 REM**PROCESSING AREA**
220 PRINT
22Ø PRINT
 230 PRINT
240 FOR I=1 TO M
```

```
260 IF B$="END"THEN 10
270 READ T$,G$,M$
280 S=0
290 1F B$<>S$THEN 310
300 S=1
310 1F X$="Y"THEN 330
320 1F S<>1 THEN 550
330 CLS:PRINT T$
340 PRINT G$
350 PRINT M$
360 tF L$-"P"THEN 490
370 PRINT: PRINT"SHALL I PRINT (Y
7N)
380 P$-INKEY$
390 IF P$-"THEN380
400 IF P$-"Y"THEN 420
410 IF P$-"N"THEN 490
420 GOSUB 620
420 GOSUB 620

430 GOSUB 890

440 PRINT#-2; CHR$(27); CHR$(14)

450 PRINT#-2; PRINT#-2; PRINT#-2; PRINT#-2; PRINT#-2; PRINT#-2, TAB(T); G$

470 PRINT#-2, TAB(T); G$

470 PRINT#-2, CHR$(27); CHR$(15)

480 PRINT#-2, CHR$(27); CHR$(15)
490 PRINT: PRINT"ANOTHER ADDRESS
500 NS-INKEYS
510 IF N$=""THEN 500
520 IF N$=""THEN 540
530 IF N$="N"THEN 10
540 CLS; IF X$="N" IHEN 190
550 NEXT I
560 REM**** TERM PT****
580 PRINT"INPUT <RUN> TO RESTART
590 PRINT
6ØØ END
610 L$="P";GOTO 140
62Ø PR1NT#-2,CHR$(27);CHR$(20);"
JOE SOMEBODY"
```

```
630 PRINT#-2,"11306 ANY ST"
640 PRINT#-2,"SOME PLACE IL 6000
0"
65Ø RETURN
660 REM**PRINT NAME DIRECTORY**
670 CLS:PRINT"PRESS <BREAK> TO S
680 PRINT"INPUT <CONT> TO CONTIN
700 RESTORE: PRINT"DO YOU WANT A
PRINTOUT (Y/N)*
710 H$=INKEY$
720 IF H$=""THEN 710
730 IF H$="Y"THEN 740
740 FOR I=1 TO M
750 READ B$
760 IF B$="END"THEN 10
770 READ T$,G$,M$
     S=0
IF B$<>S$THEN810
790
800 S=1
B10 PRINT
820 PRINT B$;") ";T$
830 IF H$="N"THEN 860
840 PRINT# 2,B$;") ";
850 NEXT I
860 FOR 0-1 TO 500
870 NEXT D
880 GOTO 850
B90 CLS
900 PRINT"
NVELOPE"
                              1) STANDARD E
910 PRINT"
OPE"
                              2) LONG ENVEL
920 PRINT"
NVELOPES"
                              3) ODD SIZE E
930 PRINT"
LOPE"
                              4) SMALL ENVE
940 PRINT
950 PRINT
                       SELECT (I,2,3 OR
```

960 AN\$=INKEY\$:IF AN\$=""THEN 960 970 ON VAL(AN\$)GOTO 980,1000,102 9,1030 980 T=21 990 GOTO 1010 1000 T=40 1000 T=5:GOTO 1040 1040 CLS:PRINT"ADJUST ENVELOPE I FNECESSARY"
1050 PRINT"PRESS (Y) TO PRINT" 1050 PRS=INKEY\$:IF PRS=""THEN I0 60:IF PRS="Y"THEN 1070 1070 PRINT"±2.CHR\$(27);CHR\$(14) 1080 PRINT #5:PRINT#-2.TAB(T);T\$ 1090 PRINT #5:PRINT#-2.TAB(T);T\$ 1100 PRINT #5:PRINT#-2.TAB(T);T\$ 1100 PRINT #5:PRINT#-2.TAB(T);M\$ 1110 PRINT #5:PRINT#-2.TAB(T);M\$ 1110 PRINT #5:PRINT#-2.TAB(T);M\$ 1120 GOTO 490 1130 REM**DATA FOLLOWS*
1140 DATA 1.LAST NAME,00000 NOPL ACE,HOME 00000 1150 DATA 2.MR BILL SMITH,2345 NORTH ST,TRENTON NJ 87654 WEST AVE,MIAMI FL 76543 1170 DATA 4.DENNY DIMMIT,4567 EAST ROAD,CHICAGO IL 65432 1180 DATA 5.JOEN DENMISH,678 AVENUE B,SALEM OR 5432I 1190 DATA 5.MARY SMITH,678 AVENUE C,PORTLAND OR 54322 1200 DATA 7.JOHN W,890 AVENUE D,SALEM OR 54321 1210 DATA 8.BOB BOOB,980 AVENUE F,WALLA WA 76598 1220 DATA 9,HARRY HOOD,934 SOUTH ROAD,GARY IN 68907 1230 DATA 10,MR AL JONES,1234 SOUTH ST,NEW YORK NY 98765 1240 DATA END

Database from Page I

doesn't matter whether you enter lower- or uppercase characters — all keywords are automatically stored in uppercase. The program allows up to a total of 15 keywords by which you can categorize your programs and files. If, during the course of operation,

> If the filename you enter for a record already exists in the datar use, DBOS9 will not store that record. The program searches the database before any records are written to ensure that there are no duplicates.

you delete all database records associated with a specific keyword, that keyword is automatically removed from the list.

After you select an existing keyword (or create a new one) for the new record, you are asked to enter the OS-9 filename for the file or program for which you are recording information. DBOS9 accepts filenames up to 24 characters in tength. Again, att filenames are automatically switched to all uppercase characters.

The next prompt allows you to enter up to three text lines of up to 49 characters each. These lines can be used to describe the program or file, or to remind you of

preliminary operating instructions for that program.

Finalty you are asked for the disk identifier. This is a special place for whatever identifying names you use for the disks in your library. After this, you are given the option of storing the record in the database or returning to the main menu without storing the information.

It is important to note that if the filename you enter for a record atready exists in the database, DBOS9 will not store that record. The program searches the database before any records are written to ensure that there are no duplicates.

Searching for Records

To search DBOS9's os9 database file, press 1 at the main menu. A submenu appears with the following options: 1) Keyword Scarch, 2) Name Scarch, 3) First Letter Search, 4) List Names and 5) Main Menu. The function performed hy each of these entries is fairly obvious when you are running the program, so we'll take only a brief look at them here:

Option 1 - To search for records based on the selected keywords, press 1. After the keyword box is displayed in the upper-left corner of the screen, select the number for the keyword on which you want to search. DBOS9 finds the first record categorized under the selected keyword. Subsequent records are disptayed as explained below.

Option 2 - To call up the record for a specific fite or program, press 2 at the Search menu. When prompted, enter the exact name of the program or file in question. Since all filenames are converted to uppercase, it doesn't matter whether you

Database continued on Page 12.

OS-9 Level II

```
Listing 1: os9top.c
#include (stdio.h>
#include (stdlib.h>
#include (string.h>
#include (ctype.h>
                                                                   /*declare global structures*/
    char key[15];
char name[25];
char descr[3][60];
char disk[15];
} os9;
struct tempo{
  char key[15];
  char name[25];
  char descr[3][60];
        char disk[15];
     )temp:
pflinit();
FILE *fp,*kp;
char database[]="/DD/BASE9/os9";
int count,recurse;
                                                                   /*declare global variables*/
long t;
char keywords[15][15];
main()
                                                                   /*start of program*/
     char ch-0,ch2;
int x.init-0;
∯asm
info "copywrite P.Scherer 1992"
₩endasm
                                                                   /*set buffers to 0*/
     /*create database if non-existent*/
if((fp-fopen(database,"r+"))--NULL){
    if((fp-fopen(database,"w+"))--NULL)
    exit(1);
    fwrite(&init,sizeof init,1,fp);
                 strcpy(os9.name,"??"); /*initialize database file*/
fwrite(&os9.sizeof (struct db9).l.rp);
     exit(1);
for(x=0;x<15;x++){
    strcpy(keywords[x],"??");
    fwrite(keywords[x],15,1,kp);)
fclose(kp);
OWSet(1,1,0,0,80,24,0,2);</pre>
                                                                   /*create main menu*/
           if(ch1-51){
                OWSet(1,1,12,6,60,13,0,4);

OWSet(1,1,10,7,60,13,0,1);

OWSet(1,1,11,8,58,11,3,2);

CurXY(1,25,1);
               OWSet(1,1,11,8,58,11,3,2);

CurxY(1,25,1);

puts("MAIN MENN");

puts("N I) Search");

puts(" 2) Enter New Record");

puts(" 3) Backup Database");

puts(" 4) Exit");
                                                                   /*force a selection from 1 to 4*/
     do{
                 CurXY(1.0.9);
                CurX(1,0,5);
DelLine(1);
CurXY(1,14,9);
printf("SELECT A NUMBER: ");
chegetchar();
] while(ch<49[|ch>52);
     switch(ch) {
    case 'l':OWEnd(l);
    case 'l':OWEnd(l);
                                                                   /*call appropriate function*/
                 break;
case '2':OWEnd(1);
                                OWEnd(1);
                                OWEnd(1):
               CURXY(1,0,9);
Entine(1);
System("del /d0/os9.bak");
System("del /d0/dse9/os9 /d0/os9.bak");
System("del /d0/keyword.bak");
System("del /d0/keyword.dak");
System("capy /d0/base9/keyword.dat /d0/keyword.bak");
fp-fopen(database,"r+");
                break;
default: OWEnd(1);
OWEnd(1);
OWEnd(1);
```

OWEnd(I);

| while(ch1-52);
fclose(fp);

Announcing Basic09 The next programming language for OS-9!

Icon Basic09 is a graphical user interface (GUI) to Basic09, which will make programming easier than ever! Icon Basic09 takes an innovative approach by using graphic representations, or icons, to represent statements and keywords for writing Basic09 programs and procedures. Instead of constantly typing while writing a program, the user can simply point & click to choose the desired statement!

Icon Basic09 can also be very useful in studying procedures and programs written by others to learn how they operate. The package contains a full set of icons...or, you may edit or create icons using the included icon editor. Icon Basic09 requires a CoCo-3 with at least 256k, mouse or joystick, and OS-9 lv 2. 520

Duol hi-res joystick adapter (RS/Colorware) \$40 \$27 Hi & Lo-res joystick adapter **HAWKsoft** keyboard extension cable \$25 Dominotion ("Risk"-like wargame!) \$18 MyDO5 full-featured DOS extension \$15



US and CON S&H always included. Terms: MO, check, or COD.

```
Listing 2: os9search.c
#include (stdio.h)
#include (stdlib.h)
#include (string.h)
#include (ctype.h)
extern struct db9
                                                                         /*reference global structures*/
/*and variables*/
              char key[15];
char name[25];
char descr[3][60];
char disk[15];
              char disk[15];
)os9;
struct tempof
char key[15];
char name[25];
char descr[3][60];
char disk[15];
              }temp;
extern int count,recurse;
extern FILE *fp;
  os9Search(){
               register int x;
char ch,ch2;
               int y,j,z;
char str[15];
                OWSet(1,1,10,4,60,13,0,4); /*create main search menu*/
OWSet(1,1,14,5,52,11,0,1);
OWSet(1,1,18,6,44,9,0,2);
CurXY(1,13,1);
printf("0S9 SEARCH MENU");
printf("n 1) Keyword Search");
printf("n 2) Name Search");
printf("n 2) First Letter Search");
printf("\n 3) First Letter Search");
printf("\n 4) List Nomes');
printf("\n 5) Main Menu\n");
                do{
                        do{
                                                                          /*force a selection from 1 to 5*/
                                 CurXY(1.1.7):
                         CurXY(1,10,7);
printf("SELECT A NUMBER: ");
ch=getchar();
}while(ch<48||ch>54);
                                                                         /*recurse variable used to keep track*/
/*of mutual recursion*/
                case'2':0WSet(1,1,20,10,40,5,0,1);
```

```
OWEnd(1):
              break;}
         ]=4:
for(x=8;str[x];x++)
str[x]=toupper(str[x]);
rewind(fp);
fread(&count,sizeof count,1,fp); /*read number of files*/
          y=0:
for(x-0:x<count:x++){    /*search for name match*/
              X++;

if(ly):

OMEnd(1);

OMSet(1,1,2,2,76,16,0,3);

OMSet(1,1,3,3,74,14,0,4);

OMSet(1,1,4,4,72,12,0,2);

x++:
                   y++;
x-display(x,j);
/*call display() and pass*/
/*wariable x & j. X is*/
/*used to end search after*/
/*file is displayed*/
         if(y){
              OWEnd(1):
         UNEnd(1);
ONEnd(1);
if(!y){
  Clear(1);
  CurXY(1,0,1);
  printf("There Are No %s Records",str);
  printf("NoPress Any Key: ");
                           /*1f y is Ø then there is no match*/
               ch-getchar();
              OWEnd(1):]
X=0; Ascount...
Z=x;
fread(&os9, sizeof(struct db9), 1, fp);
if(os9.name[0]---ch){
                                                   Program listing continued
```



BUPBC & BUPBC P.O. Box 733 Maple Valley, WA 98038 U.S. ORDER DESK: (800) 237-2409 INT'L & TECHNICAL: (206) 432-1814

Boost your CoCo with these fine Burke & Burke products:

THEXDER: OS9 -- NEW FOR OS9. Use your TANDYIM Thexder cartridge under OS9. By Alan DeKok. The 6309 Book -- 6309 programming book by Chris Burke. \$24.95 Includes XSM assembler, disassembler, and DEBUG patches for OS9 Level 2. PowerBoost -- 2 MHz enhanced HD63B09E processor w/ OS9 \$29.95 kernel and 1/0 patches (10% - 50% speed improvement). Note: soldering required for installation. WORLD CLASS CHESS* -- Use Cyrus Chess cartridge w/ L2 OS9 \$29.95 FILE SYSTEM REPACK 1.1 -- Faster OS9 disk defragmenter \$29.95 FILE RECOVERY SYSTEM -- Helps recover files from OS9 disks.
R. S. B.*- Disk BASIC for Level 2 (BASIC ROM required). \$24.95 \$39.95 EZGEN 1.10 -- EVEN FASTER! Handy & powerful OS9 bootfile editor \$19.95 WILD & MV -- Use wildcards with OS9 commands; move files \$19.95 PERTASCII -- Challenging OS9 game to make words from a list of \$19.95 random letters. Play against the computer, multi-user, or BBS.

COCO XT -- Use PC MFM or RLL hard drives with CoCo! OS9 S/W \$69.95 included (add \$30 for COCO XT-RTC version with real-time clock; add \$20 for XT-ROM hard disk auto-boot ROM),

\$9.95

ZCLOCK - Continuous time / date display on Level 2 screen

DAGGORPATCH -- Transfers TANDY** Dungeons of Daggorath \$9.95 cartridge to DISK BASIC. Adds disk I/O, screen dump, repeat.

WA RESIDENTS ADD 8.2% SALES TAX. MasterCard & VISA accepted, U.S. COD's add \$3.75. Min. U.S. shipping \$4.00 Min. to Canada \$5.00. Please allow 2 weeks for delivery. Overnight or 2nd-day available for in-stock items. Software upgrades \$5.00 each w/receipt. including U.S. shipping.

Call or write for a free catalog of more exciting Color Computer products!

The Glenside Color Computer Club of Illinois Presents.

The 2nd Annual "Last" CHICAGO COCOFEST

Saturday and Sunday, May 1st & 2nd, 1993 At the HOLIDAY INN ELGIN

(A Holidome Recreation Center)

\$45 W. River Road (A city block from 1-90 & IL-51\$)
Eigin, Illimois (18 minute driving time from the "fest" Location of the late 80's)
Oversite room rate: *52.00 (Plus 10% tax)
Call for reservations: 1 (708) 695-5000 and be sure to ask for the "Blenside" or
"Cocofesti" rate

See New Products from your Favorite "CoCo" Vendors and Have an outrageously Good Time with all your "CoCo" Friends!

Admission: \$10.00 at the door, 2-day pass only; sorry, no 1-day passes

Advance ticket sales: \$ 8.00 + SASE or \$ 8.00 + \$.50 postage & handling

Contact:: George Schneeweiss, Treasurer Glenside Color Computer Club RR#2 Box 67 Forrest, IL 61741-9629

For further information, general or exhibitor, contact:

Tony Podraza, President, GCCCl 708-428-3576, VOICE 708-428-0436, BBS Carl Boll, Vice President, GCCCI 312-735-6087, VOICE 312-735-3355, BBS

```
/*if \langle y \rangle is Ø then set up window for display(). After one call to display(), y will be incremented and the window call will not repeat.*/
                                                         if(x<z)
                                                         1T(X(2)

X++;

if(!y)(

OWEnd(1);

OWSet(1,1,2,2,76,16,0,3);

OWSet(1,1,3,3,74,14,0,4);

OWSet(1,1,4,4,72,12,0,2);
                                                                   /***; /*pass variable x & j*/
e(z>x);)] /*to display(). X is*/
/*used to end search if*/
/*required*/
                                                        }while(z>x);}]
                                                  if(y)[ /*check to see if a match*/
| 1f(x→count){ /*was found*/
                                                           else{
                                     clear(1);
printf("\n There Are No %c Entries Press Any Key: ",ch);
ch2=getchar();}]
                                                             OWEnd(1):
                     /*set up file list window*/
                                          for(x=0;x<6&&y<count;x++){    /*6 file display loop*/
    fread(&os9,s!zeof(struct db9),l,fp);
    if(strcmp(os9.name,"?"))
    printf("\n %s\n",os9.name);
    else x-;
    y++:]
    printf("\n Press Any Key\n");
    printf("\n Press Any Key\n");
    printf("\n C/R> To Quit: ");
    ch2=getchar();
    if(ch2=-'\n')    /*end search if <C/R> is entered*/
    y=count;
                                 break;
default:OWEnd(t):
                                                         /*close search menu and return to main*/
                                    DWEnd(1)
             OWEnd(1);
return:]
)whlle(ch!='5');
```

Database from Page 10

use lower- or uppercase characters when entering the filename.

Option 3 — If you are not sure of the exact spelling of a file or program's name, this option allows you to enter only the first character of the name. DBOS9 then finds the first record in the database for which the filename starts with the entered character. Subsequent records are displayed as explained below.

Option 4 — Use this option to see all filenames stored in *DBOS9* database records.

Option 5 — This option returns you to the main *DBOS9* menu.

Whenever a *DBOS9* record is displayed (by options 1, 2 or 3 above), an action list appears below it on the screen. Options available on this list allow you to change the displayed record, delete the record, continue to the next record (not available for records displayed using Option 2), write the record to disk, or return to the Search menu. If you choose to change the record, you *must* write it to disk before exiting the screen. Otherwise, any changes made are not recorded in the database file.

For Safety's Sake

The third option on DBOS9's main menu is Backup. Selecting this option allows you to create a backup set of the os9 and keyword.dat files. The default backup is performed the from /dd device to the /dd device. If /d0 is the /dd device on your system, the backup files are written to the same disk. (These default device selections appear in the function os9top.c.Listing I. You can change them and recompile the

source code.)

The backup files are stored using the names os9.bak and keyword.bak. If you later need to use these files with DBOS9, you must change their names to os9 and keyword.dat, respectively, and place them in the /dd/BASE9 directory.

DBOS9 is written in C and is made up of five functions: os9top.c, os9search.c, os9enter.c, os9ch_del.c and keyword.c, os9top.c contains the main menu and the database-initialization operation. It also handles the data-file backup. os9search.c contains all of the search functions and uses keyword.c. os9enter.c handles the entry of new data and also uses keyword.c. os9ch_del contains the change and delete functions, which are called by display(). keyword.c handles all keyword manipulation and contains the function displays file data on the screen.

The program uses what is called mutual recursion during some of the operational sequences. For instance the logic might procede as follows: os 9search() calls keyword() which calls display() which calls change() which calls keyword(). In such a scenario, keyword() is used twice, but it is stored in memory only once.

Phil Scherer is a mechanical-design engineer for automatic packaging and assembly systems. In addition to working with OS-9 on the CoCo, his hobbies include snorkeling and horticulture. He can be contacted at 6191 NW 34 Hwy., Ft. Lauderdale, FL 33309, Please include an SASE when requesting a reply.

```
Listing 3: os9ch_del.c
 #include (stdio.h)
#include (stdlib.h)
#include (string.h)
#include (ctype.h)
 extern struct db94
                                                             /*reference global variables*/
              struct db94
char key[15];
char name[25];
char descr[3][60];
char disk[15];
]os9;
  extern struct tempof
              struct tempo(
char key[15];
char name[25];
char descr[3][60];
char disk[15];
}temp;
 extern int count;
extern FtLE *fp:
extern long t;
 change(z)
int z;{
char ch;
int x,y;
        /*force valid selection with loop*/
CurXY(1,0,10);
Erline(1);
printf(" Select Number To CHANGE or <C/R> To Quit: ");
ch=getchar():
   do{
       printf(" Select Numbo
ch=getchar();
if(ch=-'\n'){
    ch='5';
    break;}
}while(ch<49||ch>52);
         CurXY(1.0.10):
         ErLine(1)
        switch(ch){
  case'1':x=1;
    keyword(x);
    z=;
            2";
break;
printf(" 2: ");
y-readln(0,os9,descr[1],60);
os9.descr[1][y·1]-0;
printf(" 3: ");
y-readln(0,os9,descr[2],60);
os9.descr[2][y·1]-0;
              z-;
    break;
case'4':printf(" Enter New Disk Identifier; ");
    strcpy(temp.disk,os9.disk);    /*store os9.disk in temp.disk*/
    y-readln(0,os9.disk,15);
    os9.disk(y·1]-0;
    if(!*os9.disk)
        strcpy(os9.disk,temp.disk); /*if quit. restore os9.disk*/
    --
              return z;
 delete(z)
        int z;{
char ch;
         CurXY(1,0,10);
         ErLine(1):
printf("Delete This File?? Y or <N>: ");
         ch-getchar();
if(ch-'Y'||ch-'y'){
z-20000;
                z=20000; /*if file is deleted, return 20000*/
strcpy(os9.name,"??");
  /*locate file pointer for the seek function and write deleted file*/
                t=ftell((p);
fseek(fp,t-sizeof(struct db9),0);
fwrite(&os9.sizeof(struct db9),1.fp);
Clear(1);
CurNY(1,10,5);
printf("Ffile Deleted-Press Any Key: ");
ch=getchar();}
          else
         z-;
return z:}
```

```
Listing 4: os9enter.c
#include <stdlo,h>
#include <stdlip.h>
#include <string.h>
#include <ctype.h>
 extern struct db94
                                                                      /*reference global variables*/
                char key[15];
char name[25];
char descr[3][60];
char disk[15];
char disk[15];
}os9;
extern struct tempo(
char key[15];
char name[25];
char descr[3][68];
char disk[15];
}temp;
extern int count, recurse;
extern FILE *fp;
  os9Enter(){
                register int y;
char ch;
int x.j=1;
/*j is passed through keyword() to allow an abort selection to occur in keyword(). If it returns greater than 1 then the rest of code is skipped.*/
                         OWSet(1.1,10.5,60.7,0.1); /*cre
OWSet(1.1,14.6,52.5,0.2);
CurXY(1.14.6,52.5,0.2);
printf("ENTER FILE NAME or <C/R> To Quit");
CurXY(1.0,3);
printf(";");
veread[n(0.69 game 25);
                                                                                                                 /*create enter window*/
                         printf(":");
y=readIn(0,os9,name,25);
os9,name[y:1]=0;
1f(!*os9,name){
                                                                                                                 /*test for C/R*/
                                  ONEnd(1);
ONEnd(1);
                                   return:)
                         for(y=0;os9.name[y];y++)
    os9.name[y]=toupper(os9.name[y]);
                                                                                                                 /*convert to upper case*/
                                                                                                       /*read file count*/
                         fread(&count,slzeof count,l,fp);
for(y=0;y<count;y++){</pre>
```

```
fread(&temp.sizeof(struct tempo).1.fp); /*read each file*/
/*record the location of first deleted file.
allows overwriting unused space in file storage area.*/
                                                                                                      1f(!strcmp(temp.name,"??"))
                                                                               return;}}
OWEnd(1);
                                                         OWEnd(1):
    OWSet(1,1,5,5,70,11,0,1): /*create file description window*/
    OWSet(1,1,9,6,62,9,0,2):
    CurXY(1,10,1):
    printf("ENTER FILE DESCRIPTION - THREE LINES\n");
    printf("\n:"):
    y-readin(0,09,0 descr[0],60);
    /*file description entries*/
    osy.descr[03][y-1]=0;
    printf("\n:"):
    y-readin(0,00,00 descr[11,60);
    y-readin(0,00,
                                                         printf("\n:");
y=readln(0,os9,descr[1],60);
os9.descr[1][y-1]=0;
printf("\n:");
y=readln(0,os9,descr[2],60);
os9.descr[2][y-1]=0;
                                                           OWEnd(1);
OWEnd(1);
                                                         /*create disk i.d. wlndow*/
                                                                                                                                                                                                                      /*create display window and*/
/*display flie*/
                                                         ONSet(1,1,4,4,72.12,0,2);
display(j);
CurXY(1,8,9);
printf("Do You Want To Enter This File? Y or <N>: ");
chegetchar();
if(ch—'y'||ch—'Y'){
    rewInd(Fp);
    fread(acount, sizeof count, 1, fp); /*read file count*/
    if(1x){
                                                                                                     count++;}
                                                                               e1se
                                                                                 rewind(fp);
```

Program listing continued

Unsurpassed Entertainment Software For Your Color Computer

CHECK OUT OUR NEWEST TITLES



GrafExpress 2.0

The response to this graphics and music programming the CoCo community con create lightning fast errade names. competition (up to 300 times fosier than BASEC). Features excitement. Requires 128K Cara 3. \$34,95 include text-graphics mixing, sprites, collision checking, fost window scrolling, multi-page animation, and easy interfacing with BASIC and assembly lenguage. Included along with the 50 page manual are support programs worth the purchase price olone: an Introductory Demo, Picture Editor, Waveform Editor, and a 256-color Art utility. Reg. 128K min. \$34.95

The Contras

This 512K paramilitary rembat arcede game features a 2 player cooperative mode, incredible graphus, super-smooth onimotion and strolling, sizzling sound effects, end an outstanding background music stare. The Contras proves that the CoCa ien melih - ai surpass - any home game system. Blow away the enemy through multiple levels and pewer up with ever more destructive weapons. The mest ambitious game ever treated for the CoCo 31 \$34.95

Photon

Photon is a proven winner. The critics agree that it is one of anvironment has been esteunding. Now with GrafExpress 2.0 – the most challenging, original, and addictive games ever made for the CoCe. This orcade game rombines artien and graphic applications, and windowing multimedia demos strategy with 16-color, ultra-smooth animation and loads of using up to 256 tolors! Its graphits toolkit blows oway the real-time musit and saund effects. Over 60 deviaus levels of

> $^{\prime\prime}\text{H}$ is the most additing game I've played on the CoCa since Fetris.... Photon has the mark of a classic game. My recommendation: Addict yourself, #

- Lauren Willoughby, Rainbow magazine

OTHER EXCEPTIONAL PRODUCTS

War Monger An incredible war game simulatar and construction set. \$29.95 Crystal City Ultra-fast space arcade action. Hardware scralling with 128K. \$34.95 Quest for Theldo 500 screens of fast lantasy action. \$34.95 Hint book \$4.95 Zenix The incredibly popular, lightning fast, 128K stellar arcade game. \$29.95 Sinistoor 3 disks packed with graphics and eerie saund effects, 512K reg. \$34.95 Kyum-Gai: Ta be Ninjo Best-selling 12BK martial arts arcade classic. \$29.95 (Alsa available in OS-9 versian)

SoundTrox 128K/512K polyphonic digital saund sequenting system. \$34.95 SoundTrox Instrument Disk Set 6 disk sides of new instruments/effects \$29.95

Worrior King \$29.95 Paladin's Legocy \$12.95 White Fire of Eternity \$9.95 Kung Fu Dude \$12.95

Holl of the King I, 2, or 3 \$14.95 ea. Dragon Blode \$9.95

Champion \$9.95

In Quest of the 5tar Lord \$34.95 Hints \$3.95



P.O. Box 766 Manassas, VA 22111 703/330-8989



Viso, MasterCard, check, money order, and COD [USA only, please] accepted. All fareign orders must be sent in US currency money orders, Include \$2,200 for shipping in USA and Canada, \$5.00 foreign. \$3.00 extra for COD orders PA residents add 6% salet tax. Dealer inquires welcome. Authors, we ore looking for new software!

```
fseek(fp.((long) sizeof(struct db9))*x.1);

/*write count with new number then seek to the end of the last
file and write new file.*/

fwrite(&count, sizeof count, 1, fp);

fwrite(&count, sizeof count, 1, fp);

return:
```

```
}whlle(*num);
'f(y)@&&y<(x+2)){    /*after selection read file count*/
    rewind(fp);
    fread(&count,sizeof count.1.fp);
Listing 5; keyword.c
#include (stdio.h)
#include (stdlib.h>
#include (string.h>
#include (ctype.h>
                                                                                                                                                                                                                                                                                                                                 w=8:
for(z=6;z<count;z++){    /*read each file*/
    fredd(&os9,sizeof(struct db9).1,fp);
    t=ftell(fp);
                                                                                                                                                                                                                                                                                                 if(!strcmp(os9.key,keywords[y-1]))
if(strcmp(os9.name."??")){
    dot
extern struct db9/
                                                                                                                   /*reference global variables*/
             char key[15];
char name[25];
char descr[3][60];
char disk[15];
                                                                                                                                                                                                                                                                                                                                                                                                                      /*check for keyword match*/
/*check for deleted file*/
                                                                                                                                                                                                                                                                                                                                                 z=u;
if(w—-Ø){
∩wEnd
char diskips,

}os9;

extern int count, recurse;

extern long t;

extern FilE *fp.*kp;

extern char keywords[15][15];
                                                                                                                                                                                                                                                                                                                                                                            OWEnd(1);
OWEnd(1);
                                                                                                                                                                                                                                                                                                                                                                   Okend(1);

ONEnd(1);

ONSet(1,1,2,2,76,16,0,3);

ONSet(1,1,3,3,74,14,0,4);

ONSet(1,1,4,4,72,12,0,2);

w++: /*increment w to prevent window repeat*/

z=display(z,j):

if(z=-20000)  /*20000 returned means delete*/
keyword(j)
int j;{
                         register int y,x-0;
char ch,num[4];
int u,w,z,v-0;
                                                                                                                                                                                                                                                                                                                                                                                v=1;
fseek(fp,t,0);
                                                                                                                                                                                                                                                                                                                                                      if(!recurse){
  if((kp=fopen("/dd/base9/keyword.dat","r+"))—NULL)
    exit(1);
  recurse++;}
                                                                                                                                                                                                                                                                                                                                                                                                      /*send message after all files*/
/*have been read*/
                reurse++:)

rewind(kp);

for(y-0x/5|xy++){

fread(keywords[x],15,1,kp);

if(keywords[x][0]1--?*)

x++;

if(|-3-1||=-4||)=-5)

if(!strcmp(keywords[0]."??")){

OWSet(1.1,2,2,30.3,0.4);

printf("\n No Keywords-Press Any Key: ");

ch-getchar();

OWEnd(1);

return:)

if(x<15){

for(y-xyx(15;y++)

strcpy(keywords[y],"??");

y-0;}

X-;

X-;

/*make keyword window sized to*/
                                                                                                                                                                                                                                                                                                                                                              v-1;
printf("There Are No %s Files\n".keywords[y-1]);)
                                                                                                                                                                                                                                                                                                                               else

Printf(" There Are No More %s Entries.\n".keywords[y-1]);

CurXY(1,12.6);

printf(" Press any Key: ");

ch=getchar();});

if(w<2&4v—1){ /*delete unused keyword*/

strcpy(keywords[y-1]."??");

rewind(kp);

for(y-0;y(15;y++)

fwrite(keywords[y],15,1,kp);}
                                                                                                                                                                                                                                                                                        recurse;
if(!recurse)
fclose(kp);
OWEnd(1);
OWEnd(1);
                      OWEnd(1):
                                                                                                                                                                                                                                                                                                  return j:
                                   for(y=0;y<=x;y++)
printf("\n %d) %s",(y+1),keywords[y]);}
                                                                                                                                                                                                                                                                  display(z,j)
    int z;
    int j;
    char ch;
    long t;
    Clear(1);
    printf("\n 1)\s ".os9.key);
    CurXY(1,20,1);
    printf(" 2)\s\s\s\s\s\os9.name);
    printf("\n 3)\s\s\s\s\s\s\os9.descr[0];
    printf("\s\s\n".os9.descr[0]);
    printf("\s\s\n".os9.descr[1]);
    printf("\s\s\n".os9.descr[2]);
    FColor(1,3);
    printf(\s\s\n".os9.descr[2]);
    FColor(1,3);
    printf(\s\s\n".os9.descr[2]);
    FColor(1,3);
    printf(\s\s\n".os9.descr[2]);
    FColor(1,0);
    printf(\s\s\n".os9.descr[2]);
    if(j|=1&\s\s\n".os9.descr[2]);
    if(j|=1&\s\s\n".os9.descr[2]);
    if(j|=1&\s\s\n".os9.descr[2]);
    if(j|=1&\s\s\n".os9.descr[2]);
    if(j|=1&\s\s\n".os9.descr[2]);
    if(j|=1&\s\s\n".os9.descr[2]);
    if(j|=1&\s\n".os9.descr[2]);
    if(j|=1&\s\n".os9.descr[2
/*j-1 is used by enter and change*/
                      if(j==1){
if(x<14)
                                   else {
if(recurse>1||y>0)
                                                                        break;))
                                                else ( j-15: /*C/R message is carried back by j-15*/ break;)
                                              printf(" <C>hange-<C>elete-");
if(j|-d)
    printf("Co<N>tinue-");
printf("Whrite or <C/R> to Quit: ");
ch-getchar();
Erline(1);
if(ch--'C'||ch--'c'){
    z-change(z);
    return z;
if(ch--'D'||ch--'d'){
    z-delete(z);
    return z;}
if(ch--'W'||ch--'w'){
    t-ftell(fp);
    rewind(fp);
    fread(&count, sizeof count, l, fp);
    fseek(fp, ((long) sizeof(struct db9))*z, l);
    fwrite(&cs9, sizeof(struct db9), l, fp);
    fseek(fp, t, 8);
    z-;
                                                                                                                                                                                                                                                                                            z-;
return z;}
if((ch-'n'||ch-'N')&&j--4) /*disable n selection if j--4*/
ch-'x';
}whilech|-'\n'&&ch!-'n'&&ch!-'N');
if(ch-'\n') /*if C/R is entered return z>count*/
z-count*];
return z;
                                          fwrite(keywords,sizeof keywords,1,kp); /*rewrite keyword.dat*/
                             33
/*j-3 is used by search functions*/
                             return z;
                                                        else {if(j!=1){
                                                                                                                                                                                                                                                                                                         ReVOn(1):
                                                                                                                                                                                                                                                                                                        RevOn(1);
CurXY(1,0,9);
printf(" Press Any Key To Continue: ");
RevOff(1);
ch=getchar();}
z=count-1;
return z;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  6
```

Advertisers Index 6 Sundog Systems Owl-Ware BC We appreciate your mentioning THE NAINBOW when you contact these advertisers.



l Middle America Fest

In Das Moines, Iowa. Rome of Microwers Inc. "Mid Iowe & Country CoCo" is presenting a: Mational Color Computer Fast.

March 27-28th 1993

Saturday VIP Braakfast 8:30 AM RSVP 7 days With Corl Boll/ VF Glenaide & Tarry Simooa/ HI&CC Soturday Show March 27, 10:00 AM to 6:00 PM Saturday Social: io onr lounga arao 7:30 PM Sooday Show March 28, 10:00 AM to 3:00 PM

The Travel Lodge Inn. The Place: Easy highway access at I-35 & 80 interchange. Exit #124 (University) 3 blks East. With a "limited number" of rooms reserved at Fest rates. \$35.00 per room. up to 4 occupants These are limited, reserve your room early: 1-800-255-3050
Airport shuttle provided! (rooms only)

Our national reach out and central location should assure full attendance with an attractive and fun filled Fest!


Come and visit at: The Travel Lodge Inn with attractively displayed booths and plenty of walking and talking room. Speakers. start with the well known Jases Jones of Microware, OS-9 User Group Founding Pres. Boisy Pitre. and Terry Simons, RSDOS. And others will fill an attractive seminar schedule. Join our evening informal round table chit-chat gathering, and meet other users. With your Room, Show floor, and Social at one location. With both heavy emphasis for the OS-9 enthusiast; and a good representation of RSDOS. This promises to be a woll rounded Fest!
A Color Computer Fest you don't want to mice!

Tickets: Til Mar 1 At door Middle America Fest
One day \$10.00 \$12.00 Terry Simons/ Treas
Two day \$12.00 \$15.00 1328 ARth St
 Iwo day
 \$12.00
 \$15.00
 1328 48th St.

 VIP Breakfast optional \$7.00
 Des Moines, IA 50311
 \$15.00 Check or M.O. Booth prices on request
Terry Simons 515-279-2576 -- James Jones 515-224-1444

Get a 1 year "UFGRADE National Diskussation" subscription.
and MI&CC membership. \$19.00 US \$24.00 Canada
see Jan Rainbow pg 9 \$31.00 Frgn Air \$3.00 sample UPGRADE

T&D Software: Our Final Fron



Our ten year mission has been to seek out new Coco software and boldly provide the biggest and best variety of Coco programs. Our mission is complete! Our subscription service has been stopped. This is your final chance to order!

Our Last ten issues featured here. RSUIC (131, SEPT, 199) ISSUIC ALL, OCT. 1991 ISSUIC ALL OCT. 1991 ISSUIC

POOL PLAYER QUEST OF CICAOS RETIL EMENT ACCT RINGOCALLEI 10% 265 1+2 SPERTH HOUSE CAVERNS OF CHI NO BEAUTY PAGEANT NOUNTAIN WARS SUR. COPYNEIL ALPHABETSCRAM.3 POKER.) Phance Bundle TELESALE FOR ARD DICE. CLYFTO MATRISOLNER 2 SELENCESTYDROME COCOTOOLS CERMAINT VALUE DIEAN ESCAPEAD. DISK DIE. PAKFIX GHOMEQUIST NCTURES SOLITAINE PC/22EE TEST WAKER CODES 1 CODES 3 0089613 MUNCHMAK MONCHER DESK CHECKER THE CASTLE TEMP, CONY MIDGET RIDOLLI LOTTOGAME GERFA HOUSE LARRIER

SHADOW WORLD *All issues contain 10 ready to run programs.

DEMON FIRE Upo runter

*All original software includes documentation. *We send first class! Free shipping!

*Personal checks welcome.

*Write for a free catalog.

DANUES OF ESTS

CARSTYPEING

BBALLDBASB SNOW MOBILE

ASTRONOSHASE

DIAFFE NETSON

*Programs are for a Coco 1, 2, or 3.





it is logical to

53 Public
Advertaget I.J
Al. (2A, Don't Stay, Gregor)s, Forgefore, King
Domiain Disks 42. Anima Boris, Came, Objective, Kingland
-loves, Qoot, Samere, Sarved, Adv. Don Ultimes 1-4
12 Programs Each, U1 U4 Require Disk
U1 -10505, Disk Zappar, Boot Copy, Basic Nag, 4
U1 -10505, Disk Zappar, Boot Copy, Basic Nag, 4

POCKETBALL.

RAMINET

COCO DIE MOR.

DESTROYER

Set #1 Clipart Animals More

Set #2 Celebrities Cartoons

R-Rated Women Adults Only

New Sets 4,5,6,7 Each set has a variety of: Business Clipart. Grin Graphics. Sports. Special Events Plus much more!



All 53 Public Domain Disks....\$145 \$75 All Graphic Stes.....\$140 **\$70** All Our Software(243Disks)... \$379.00 \$199



12345474910112111111111111111111111111111111111	格17体也而从22均对25分分的2000	34 32 34 36 37 31 79 40 44 44	46 47 48 49 50 51 52 53 54 55 55 55 55 55 55 55 55 55 55 55 55	(con) (con)	76 77 74 79 90 81 82 83 84 85 86 87	91 92 93 94 95 96 97 98 100 101 104	606 607 908 209 110 641 512 113 64 145 116 117 118	MI MI MI MI MI MI AI AI TL	Public Demoks GRA GRA GRA GRA GRA GRA GRA GRA GRA GRA	B1 E7 E9 D4 U5 H1 H2 H3 H4	UL UZ U3 U4 U4 U7 U8	GAI GAZ GAJ GAJ GAS GAS GAG GAJ GAJ GAJ GAJ GAJ GAJ	Group his Dista Provinger Sec 1 Sec 2 Sec 5 Sec 6 Sec 6 Sec 7
ji Li	29 30	44 45	59 60	74	90 90	104 106	119 120	12	CIRL4				



orders

Warp T&D Subscription Software Name Speed 2490 Miles Standish Drive City

Holland MI 49424 Credit Card #_ Holland MI 49424

(616) 399-9648 in TO: Fax: (616) 396-2744

State Zip Expiration Total \$

Please Circle: TAPE or DISK



On the Razor's Edge of the Color Computer Frontie

In our 10th Year!

A DECADE OF SERVICE TO THE COMPUTER USER!

NOW, 120MB Hard Drive Standard

486SX-20 SYSTEMS - \$1495.00!

Now You can enter the world of 4B6 computing at a reasonable cost!



the OWL SUPER ATOM - 486

High Powered Computing from a local, well established company.

- SSMHz / 50MHz 1486 based Systems with Socket for Weitek CoProcessor
- Large Tower Case : (33MHz, FCC Class B) (50MHz, FCC Class A)

System and Video BIOS in Cache

- 230 Watt Power Supply & 8 Option Slots
- System Price includes 120MB HD, 4MB RAM, Std. Resolution Color VGA Monitor, High Resolution VGA Card, 2 High Density FD's, MS-DOS 5.0

\$1495 \$1795 \$2095 486DX-50 \$2185

Super VGA Upgrade

3- YEAR WARRANTY on all systems! Nanufactures 3-Year Warranty on All Lland Dei Including One full Year on Parls and Labor

OWL SUPER ATOM - SX

16/25MHz 386SX Based

FCC Class B Approved

OWL SUPER ATOM - 186



- Small Footprint Case
- 4MB of RAM 7 Expansion Slots
- Std. Resolution VGA Color Monitor 120MB Hard Drive
- 101 Keyboard

\$1495

- 2 High Density FD's \$1195 / \$1295 2 High Density FD's 33MHZ

386-DX Notebook Computers MS DOS 5.0

101 Keyboard

Std. Resolution VGA Color Monitor

120MB Hard Drive 7 Expansion Slots 200 Watt Power Supply Small Footprint Case

2MB of RAM

20MHz, 60MB HD, 1.4MB FD, 2MB RAM(exp. to 33MHz, 120MB HD, 1.44MB FD, 32KB CACHE, 4MB 5MB), VGA 640X480 LCD w/32 shades of gray, Ports: 2 RAM(exp. to 16MB), Std. VGA LCD w/32 gray, Ext. Set, 1 Par, 1 VGA, DOS & Windows, 7.7LBS! Keypad inc., DOS & Windows, 7.7LBS! 386-SX Notebook Computers

OWL COMPUTER SERVICES

Kids & Us - RadioSh Bath, PA (215)-837-1917 5950 Keystone Drive

(800) 248-6228

Call for Appl. (215)-481-9775 St. Onge Systems Muhlenberg Shopping Plaza Reading (215)-929-0540 Computers & Games

Pennsbury (215)-679-3389

Floppy Drive Systems

Drive 0 Systems (Half Height, Double Sided, SOLD OUT!

WE NEED CONTROLLERS! IF YOU HAVE 502 CONTROLLERS, CALL US

Drive 1 Systems (Half Height, Double Sided,

Direct Drives) \$115.

New 3.5", 720K Drives for OS-9 with case

& Power Supply \$129. SALE!

Orive 1 Systems have drive, case, power supply. (You may require optional cable and/or DOS chip to use)

Special for 0/1 Combos (0,1,2,3) \$199. (WITHOUT CONTROLLER)

HALF: HEIGHT DRIVE UPGRADES FOR RS HORIZON-TAL CASES

drive, hardware, and detailed instruc-tions. Easy! Takes only 5 minutes! case? Kit includes: double-sided to fit system when you can triple in the same Why only double the capacity of your your case, chip to run both sides of new

500 , 501, or 502 Model Only

Bontos? Special Buddled Boffware with any Disk Drive Purchase?

The Highest Quality for Years of Service

All drives are new and fully assembled.
We ship only FULLY TESTED and
CERTIHED at these low prices. We
use Fuji, YE Data, and other fine
brands. No drives are used or surplus can truly make this claim. We have 7 years experience in the CoCo disk drive market! We are able to provide support when you have a problem. the few advertisers in Rainbow who you order. We appear to be the one of unless otherwise stated to you when

Drives I Year Warranty

OWL Phones

Order Numbers (only) Fax: 1-215-837-1942 1-800-245-6228 1-215-837-1917 Technical Help 1-215-682-6855

OWL WARE Software Bundle

Disk Tutorial/Utilities/Games DISK TUTOR Ver 1.1

tion. (This professionally written tutor is easily worth the bundle's total price.) or a quick, painless disk drive introducour lessons and corrects your mistakes program. This tutor takes you through his multi-lesson, machine language carn how to use your disk drive from

A copy verify, copy, and DOS utility. 3 UTILITIES

2 GAMES
We will select 2 games from our stock
These are sold for more than \$20 each.

and professional in quality. The tutor is unique with us and has helped Do not mistake this software with cheap offer. All of this software is copyrighted housands of new users learn their disk 'Public Domain" software which others

any Disk Drive Purchase!! only \$6.95 with (or even better) only \$27.95

512K Upgrade

Easy to install. Uses fast 120 us, chips Again at a popular price. Pully as-sembled and tested before shipping.

SALE \$79.

Lighting, Printer Lighting, and Back-up Lighting. All with an upgraded manual exclusive with OWL! Now includes memory test, Ram Dist

do not include shipping. Our prices include a discount for cash but

(I) II (I) HICLIAN warranty policy. During the control of the policy policy. During the control of the policy.

Mertztown, PA 19539 P.O. BOX 116 OWL-WARE